

Rabbit ZNF148 Polyclonal Antibody | anti-ZNF148 antibody

ZNF148 Rabbit Polyclonal Antibody

CATALOG # AAA30684	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Western Blot, Immunohistochemistry, Immunofluorescence
------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

ZNF148; Polyclonal Antibody; ZNF148 Rabbit Polyclonal Antibody; BERF-1; BFCOL1; GDACCF; HT-BETA; ZBP-89; ZFP148; pHZ-52; anti-ZNF148 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Applicable Applications for anti-ZNF148 antibody	WB (Western Blot), IHC (Immunohistochemistry), IF (Immunofluorescence)
Application Notes	WB: 1:500-1:1000 IHC: 1:50-1:100 IF: 1:20-1:100
Immunogen	Recombinant fusion protein of human ZNF148 (NP_068799.2).
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded mouse lung using ZNF148 at dilution of 1:100 (40x lens).




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human smooth muscle using ZNF148 at dilution of 1:100 (40x lens).




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human appendix using ZNF148 at dilution of 1:100 (40x lens).




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human colon using ZNF148 at dilution of 1:100 (40x lens).



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human lung using ZNF148 at dilution of 1:100 (40x lens).



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded rat heart using ZNF148 at dilution of 1:100 (40x lens).

ADDITIONAL INFORMATION

Related Product Information for anti-ZNF148 antibody	The protein encoded by this gene is a member of the Kruppel family of zinc finger DNA binding proteins. The encoded protein activates transcription of the T-cell receptor and intestinal alkaline phosphatase genes but represses transcription of the ornithine decarboxylase, vimentin, gastrin, stomelysin, and enolase genes. Increased expression of this gene results in decreased patient survival rates from colorectal cancer, while mutations in this gene have been associated with global developmental delay, hypoplastic corpus callosum, and dysmorphic facies.
Product Categories/Family for anti-ZNF148 antibody	Primary Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	145386566
NCBI GeneID	7707
NCBI Accession #	NP_068799.2
NCBI GenBank Nucleotide #	NM_021964.2
UniProt Accession #	Q9UQR1 ; O00389 ; O43591 ; Q58EY5 ; D3DN27
Molecular Weight	88,976 Da
NCBI Official Full Name	zinc finger protein 148
NCBI Official Synonym Full Names	zinc finger protein 148

NCBI Official Symbol	ZNF148
NCBI Official Synonym Symbols	BERF-1; BFCOL1; ZBP-89; ZFP148; pHZ-52; HT-BETA
NCBI Protein Information	zinc finger protein 148; CACCC box-binding protein; transcription factor ZBP-89; CLL-associated antigen KW-10; zinc finger DNA-binding protein 89
UniProt Protein Name	Zinc finger protein 148
UniProt Gene Name	ZNF148
UniProt Synonym Gene Names	ZBP89
UniProt Entry Name	ZN148_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/znf148-antibody-western-blot-immunohistochemistry-immunofluorescence-elisa/30684>