

Rabbit anti-Human, Mouse 4E-BP1 Polyclonal Antibody | anti-4E-BP1 antibody

4E-BP1 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA306996	Rabbit	Human, Mouse	Immunocytochemistry, Western Blot, ELISA


PRODUCT SYNONYMS

4E-BP1; Polyclonal Antibody; 4E-BP1 Antibody; initiation factor 4E binding protein 1; anti-4E-BP1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Purity/Purification	Affinity chromatography purified via peptide column
Form/Format	Supplied in PBS containing 0.02% sodium azide.
Sequence Length	118
Applicable Applications for anti-4E-BP1 antibody	ICC (Immunocytochemistry), WB (Western Blot), ELISA
Immunogen Type	Peptide
Immunogen Description	Raised against a 14 amino acid peptide from near the carboxy terminus of human 4E-BP1.
Target Name	4E-BP1
Preparation and Storage	Can be stored at -20 degree C, stable for one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

IMAGES



ICC (Immunocytochemistry)

Immunocytochemistry of 4E-BP1 in 3T3 cells with 4E-BP1 antibody at 2 ug/mL.



WB (Western Blot)

Western blot analysis of 4E-BP1 in 3T3 cell lysate with 4E-BP1 antibody at (A) 2.5, (B) 5 and (C) 10 ug/mL.

ADDITIONAL INFORMATION

Related Product Information for anti-4E-BP1 antibody	The translation of mRNA in eukaryotic cells is regulated by the presence of amino acids through multiple mechanisms. One such mechanism involves the evolutionarily conserved serine/threonine kinase TOR (Target of rapamycin, also known as mTOR), which regulates cell growth and cell cycle through its ability to integrate signals from nutrient levels and growth factors. One downstream target of TOR is the eukaryotic initiation factor 4E binding protein 1 (4E-BP1) whose phosphorylation prevents its association with eIF4E, preferentially stimulating translation of mRNAs containing long, highly structured 5'-UTRs. Rapamycin inhibits TOR resulting in reduced cell growth and reduced rates of cell cycle and cell proliferation, at least in part by inhibiting the activity of TOR towards 4E-BP1.
Product Categories/Family for anti-4E-BP1 antibody	Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	4758258
NCBI GeneID	1978
NCBI Accession #	NP_004086
NCBI GenBank Nucleotide #	NM_004095.3
Molecular Weight	12,580 Da
NCBI Official Full Name	eukaryotic translation initiation factor 4E-binding protein 1
NCBI Official Synonym Full Names	eukaryotic translation initiation factor 4E binding protein 1
NCBI Official Symbol	EIF4EBP1
NCBI Official Synonym Symbols	BP-1; 4EBP1; 4E-BP1; PHAS-I
NCBI Protein Information	eukaryotic translation initiation factor 4E-binding protein 1
UniProt Protein Name	Eukaryotic translation initiation factor 4E-binding protein 1
UniProt Gene Name	EIF4EBP1
UniProt Synonym Gene Names	4E-BP1; eIF4E-binding protein 1; PHAS-I
UniProt Entry Name	4EBP1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/4e-bp1-antibody-immunocytochemistry-western-blot-elisa/306996>