

Rabbit UNG1 Polyclonal Antibody | anti-UNG1 antibody

UNG1 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA307397	Rabbit	Human, Mouse, Rat	Immunohistochemistry, Western Blot, ELISA


PRODUCT SYNONYMS

UNG1; Polyclonal Antibody; UNG1 Antibody; Uracil-DNA glycosylase 1; UDG1; anti-UNG1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Purity/Purification	Affinity chromatography purified via peptide column
Form/Format	Supplied in PBS containing 0.02% sodium azide.
Sequence Length	304
Applicable Applications for anti-UNG1 antibody	IHC (Immunohistochemistry), WB (Western Blot), ELISA
Immunogen Type	Peptide
Immunogen Description	Raised against a 13 amino acid peptide from near the amino terminus of human UNG1.
Target Name	UNG1
Preparation and Storage	Can be stored at -20 degree C, stable for one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

IMAGES


IHC (Immunohistochemistry)

Immunohistochemistry of UNG1 in human heart tissue with UNG1 antibody at 2 ug/mL.


WB (Western Blot)

Western blot analysis of UNG1 in C2C12 cell lysate with UNG1 antibody at (A) 0.5, (B) 1 and (C) 2 ug/mL.

ADDITIONAL INFORMATION

Related Product Information for anti-UNG1 antibody	The human uracil-DNA glycosylase (UNG) gene encodes both mitochondrial (UNG1) and nuclear (UNG2) forms through differentially regulated promotes and alternative splicing. While UNG2 is the major enzyme in the base excision repair pathway that removes uracil residues from nuclear DNA that arise through either misincorporation during replication or cytosine deamination, inhibition of UNG1 by uracil glycosylase inhibitor did not lead to increased levels of spontaneous or induced mitochondrial DNA mutations. However, decreased levels of UNG activity and increased oxidative damage to mitochondrial DNA were seen in older mice, suggesting that mitochondrial DNA repair mechanisms may be involved in various neurodegenerative disorders in an age-dependent manner. This UNG1 antibody will not cross-react with UNG2.
Product Categories/Family for anti-UNG1 antibody	Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	6224979
NCBI GeneID	7374
NCBI Accession #	NP_003353
NCBI GenBank Nucleotide #	NM_003362.3
Molecular Weight	33,924 Da
NCBI Official Full Name	uracil-DNA glycosylase isoform UNG1
NCBI Official Synonym Full Names	uracil DNA glycosylase
NCBI Official Symbol	UNG
NCBI Official Synonym Symbols	DGU; UDG; UNG1; UNG2; HIGM4; HIGM5; UNG15
NCBI Protein Information	uracil-DNA glycosylase
UniProt Protein Name	Uracil-DNA glycosylase
UniProt Gene Name	UNG
UniProt Synonym Gene Names	UDG
UniProt Entry Name	UNG_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/ung1-antibody-immunohistochemistry-western-blot-elisa/307397>