

Mouse beta-Tubulin Monoclonal Antibody | anti-TUBB3 antibody

beta-Tubulin Monoclonal Antibody (5G3)


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA30795	Mouse	Human, Rat, Mouse, Monkey, Dog, Chicken, Hamster, Rabbit, sheep, Insect, Yeast, Fish, Bovine, Rice	Western Blot, Immunofluorescence, Immunocytochemistry, Immunohistochemistry

PRODUCT SYNONYMS


beta-Tubulin; Monoclonal Antibody; beta-Tubulin Monoclonal Antibody (5G3); Tubulin beta-3 chain; TUBB3; TUBB4; Tubulin beta-4 chain; Tubulin beta-III; anti-TUBB3 antibody

PRODUCT SPECIFICATIONS


Host	Mouse
Reactivity	Human, Rat, Mouse, Monkey, Dog, Chicken, Hamster, Rabbit, sheep, Insect, Yeast, Fish, Bovine, Rice
Clonality	Monoclonal
Clone Number	5G3
Specificity	The antibody detects endogenous beta-tubulin protein.
Purity/Purification	The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen.
Form/Format	PBS, pH 7.4, containing 0.5%BSA, 0.02% sodium azide as Preservative and 50% Glycerol.
Concentration	1mg/ml (varies by lot)
Applicable Applications for anti-TUBB3 antibody	WB (Western Blot), IF (Immunofluorescence), ICC (Immunocytochemistry), IHC (Immunohistochemistry)
Application Notes	WB: 1:5000 IHC: 1:200 IF: 1:200
Immunogen	Synthetic Peptide of beta-Tubulin
Modification	Unmodified/Total
Preparation and Storage	Store at -20 degree C/1 year




IF (Immunofluorescence)
Immunofluorescence analysis of Hela cell. 1.CREB-1 (phospho Ser133) Polyclonal Antibody(red) was diluted at 1:200(4 degree overnight). 2-?Tubulin Monoclonal Antibody(5G3)(green) was diluted at 1:200(4 degree overnight). 2. Goat Anti Rabbit Alexa Fluor 594 was diluted at 1:1000(room temperature. 50min). Goat Anti Mouse Alexa Fluor 488 was diluted at 1:1000(room temperature. 50min).




IHC (Immunohistochemistry)
Immunohistochemical analysis of paraffin-embedded Rat-lung tissue. 1.?-Tubulin Monoclonal Antibody(5G3) was diluted at 1:200(4 degree C.overnight). 2. Sodium citrate pH 6.0 was used for antibody retrieval(>98 degree C.20min). 3.Secondary antibody was diluted at 1:200(room temperature. 30min). Negative control was used by secondary antibody only.




IHC (Immunohistochemistry)
Immunohistochemical analysis of paraffin-embedded Human-colon tissue. 1.?-Tubulin Monoclonal Antibody(5G3) was diluted at 1:200(4 degree C.overnight). 2. Sodium citrate pH 6.0 was used for antibody retrieval(>98 degree C.20min). 3.Secondary antibody was diluted at 1:200(room temperature. 30min). Negative control was used by secondary antibody only.



IF (Immunofluorescence)
IF analysis of Hela with ?-Tubulin Monoclonal Antibody(Left) and DAPI (Right) diluted at 1:100.



IHC (Immunohistochemistry)
Immunohistochemical analysis of paraffin-embedded Mouse-testis tissue. 1.?-Tubulin Monoclonal Antibody(5G3) was diluted at 1:200(4 degree C.overnight). 2. Sodium citrate pH 6.0 was used for antibody retrieval(>98 degree C.20min). 3.Secondary antibody was diluted at 1:200(room temperature. 30min). Negative control was used by secondary antibody only.



IHC (Immunohistochemistry)
IHC Staining of Human colon tissue. diluted at 1:200.

ADDITIONAL INFORMATION

Related Product Information for anti-TUBB3 antibody	tubulin beta 3 class III(TUBB3) Homo sapiens This gene encodes a class III member of the beta tubulin protein family. Beta tubulins are one of two core protein families (alpha and beta tubulins) that heterodimerize and assemble to form microtubules. This protein is primarily expressed in neurons and may be involved in neurogenesis and axon guidance and maintenance. Mutations in this gene are the cause of congenital fibrosis of the extraocular muscles type 3. Alternate splicing results in multiple transcript variants. A pseudogene of this gene is found on chromosome 6. [provided by RefSeq, Oct 2010]
Product Categories/Family for anti-TUBB3 antibody	Primary Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	308235963
NCBI GeneID	10381
NCBI Accession #	NP_001184110.1
NCBI GenBank Nucleotide #	NM_001197181.1
UniProt Accession #	Q13509; Q9BTZ0; Q9BW10
Molecular Weight	50,433 Da
NCBI Official Full Name	tubulin beta-3 chain isoform 2
NCBI Official Synonym Full Names	tubulin, beta 3 class III
NCBI Official Symbol	TUBB3
NCBI Official Synonym Symbols	CDCBM; TUBB4; beta-4; CFEOM3A
NCBI Protein Information	tubulin beta-3 chain; tubulin beta-III; tubulin beta-4 chain; class III beta-tubulin
UniProt Protein Name	Tubulin beta-3 chain
UniProt Gene Name	TUBB3
UniProt Synonym Gene Names	TUBB4
UniProt Entry Name	TBB3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monoclonal/beta-tubulin-antibody-clone-5g3-western-blot-immunofluorescence-immunocytochemistry-immunohistochemistry-elisa/30795>