

Rabbit ZNRF2 Polyclonal Antibody | anti-ZNRF2 antibody

ZNRF2 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA310969	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

ZNRF2; Polyclonal Antibody; ZNRF2 Antibody; RNF202; E3 ubiquitin-protein ligase ZNRF2; Protein Ells2; RING finger protein 202; Zinc/RING finger protein 2; anti-ZNRF2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Specificity	Recognizes endogenous levels of ZNRF2 protein.
Purity/Purification	Immunogen affinity chromatography
Form/Format	Phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol
Concentration	1 mg/mL (varies by lot)
Sequence Length	242
Applicable Applications for anti-ZNRF2 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human ZNRF2.
Preparation and Storage	Store at -20 degree C.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of ZNRF2 staining in A549 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark. DAPI was used to stain the cell nuclei (blue).



IHC (Immunohistochemistry)

Immunohistochemical analysis of ZNRF2 staining in human brain formalin fixed paraffin embedded tissue section. The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of SRSF5 expression in HeLa, RAW264.7, H9C2 whole cell lysates.

ADDITIONAL INFORMATION

Product Categories/Family for anti-ZNRF2 antibody

Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	23821044
NCBI GeneID	223082
NCBI Accession #	NP_667339.1
NCBI GenBank Nucleotide #	NM_147128.4
UniProt Accession #	Q8NHG8
Molecular Weight	24 kDa
NCBI Official Full Name	E3 ubiquitin-protein ligase ZNRF2
NCBI Official Synonym Full Names	zinc and ring finger 2
NCBI Official Symbol	ZNRF2
NCBI Official Synonym Symbols	RNF202
NCBI Protein Information	E3 ubiquitin-protein ligase ZNRF2
UniProt Protein Name	E3 ubiquitin-protein ligase ZNRF2
UniProt Gene Name	ZNRF2
UniProt Synonym Gene Names	RNF202

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/znrf2-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/310969>