

Rabbit NAT2 Polyclonal Antibody | anti-NAT2 antibody

NAT2 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA311136	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

NAT2; Polyclonal Antibody; NAT2 Polyclonal Antibody; AAC2; NAT-2; PNAT; N-acetyltransferase 2; anti-NAT2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 50% glycerol, pH7.4
Applicable Applications for anti-NAT2 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant fusion protein of human NAT2 (NP_000006.2).
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescence analysis of 293T cells using NAT2 antibody.




IHC (Immunohistochemistry)


Immunohistochemistry of paraffin-embedded human breast using NAT2 antibody.



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded rat heart using NAT2 antibody.



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded rat lung using NAT2 antibody.



WB (Western Blot)
Western blot analysis of extracts of various cell lines, using NAT2 antibody.

ADDITIONAL INFORMATION

Related Product Information for anti-NAT2 antibody	This gene encodes an enzyme that functions to both activate and deactivate arylamine and hydrazine drugs and carcinogens. Polymorphisms in this gene are responsible for the N-acetylation polymorphism in which human populations segregate into rapid, intermediate, and slow acetylator phenotypes. Polymorphisms in this gene are also associated with higher incidences of cancer and drug toxicity. A second arylamine N-acetyltransferase gene (NAT1) is located near this gene (NAT2).
Product Categories/Family for anti-NAT2 antibody	Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	116295260
NCBI GeneID	10
NCBI Accession #	NP_000006.2
NCBI GenBank Nucleotide #	NM_000015.2
UniProt Accession #	P11245; O43637; O60654; O60655; Q13146; Q16697; Q2MLE4; Q2MLF5; Q2MLG8; Q2MLJ6; Q2MLK4; Q2MLK6
Molecular Weight	34kDa
NCBI Official Full Name	arylamine N-acetyltransferase 2
NCBI Official Synonym Full Names	N-acetyltransferase 2 (arylamine N-acetyltransferase)
NCBI Official Symbol	NAT2

NCBI Official Synonym Symbols	AAC2; PNAT; NAT-2
NCBI Protein Information	arylamine N-acetyltransferase 2; arylamide acetylase 2; N-acetyltransferase type 2
UniProt Protein Name	Arylamine N-acetyltransferase 2
UniProt Gene Name	NAT2
UniProt Synonym Gene Names	AAC2; NAT-2; PNAT
UniProt Entry Name	ARY2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/nat2-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/311136>