

Rabbit anti-Human Musashi 1 Monoclonal Antibody | anti-LRP1 antibody

Musashi 1 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA312189	Rabbit	Human	Flow Cytometry, Functional Assay, Immunoprecipitation, Immunohistochemistry, Immunofluorescence, Immunocytochemistry, Western Blot


PRODUCT SYNONYMS

Musashi 1; Monoclonal Antibody; Musashi 1 Antibody; Msi 1 antibody; Msi1 antibody; MSI1H_HUMAN antibody; Musashi homolog 1 antibody; Musashi-1 antibody; Musashi1 antibody; RNA binding protein Musashi homolog 1 antibody; RNA-binding protein Musashi homolog 1 antibody; anti-LRP1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Monoclonal
Clone Number	SJ201
Purity/Purification	ProA affinity purified
Form/Format	1*TBS (pH7.4), 1% BSA, 40% Glycerol. Preservative: 0.05% Sodium Azide.
Applicable Applications for anti-LRP1 antibody	FCM/FACS (Flow Cytometry), IP (Immunoprecipitation), IHC (Immunohistochemistry), IF (Immunofluorescence), ICC (Immunocytochemistry), WB (Western Blot)
Antibody Type	Recombinant Antibody
Immunogen	Recombinant protein
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C.

IMAGES




ICC (Immunocytochemistry)

ICC staining Musashi 1 in A549 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



ICC (Immunocytochemistry)

ICC staining Musashi 1 in HeLa cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



IHC (Immunohistochemistry)
Immunohistochemical analysis of paraffin-embedded human pancreas tissue using anti-Musashi 1 antibody. Counter stained with hematoxylin.

ADDITIONAL INFORMATION

Related Product Information for anti-LRP1 antibody	Musashi1 (Msi1) is an RNA-binding protein expressed in neural progenitor cells and neural stem cells. Msi1 is the mammalian homolog of Drosophila Musashi. The gene encoding human Msi1 encodes a 362 amino acid protein. In murine embryonic neural progenitor cells, Msi1 localizes to the cytoplasm and is downregulated during differentiation. Msi1 binds to NUMB, which encodes a membrane-associated antagonist of Notch signaling. Msi1 appears to function in the proliferation and maintenance of stem cell populations of the central nervous system. In addition to its usefulness as a marker for neural progenitor cells in normal human brains, Msi1 is also a marker for human gliomas. In rats, Msi1 is expressed in Sertoli cells of the testis and granulosa cells of the ovary.
Product Categories/Family for anti-LRP1 antibody	Total protein Ab

NCBI AND UNIPROT INFORMATION

NCBI GI #	126012562
NCBI GeneID	4035
NCBI Accession #	NP_002323.2
NCBI GenBank Nucleotide #	NM_002332.2
UniProt Accession #	Q07954; Q2PP12; Q8IVG8
Molecular Weight	504,606 Da
NCBI Official Full Name	prolow-density lipoprotein receptor-related protein 1
NCBI Official Synonym Full Names	low density lipoprotein receptor-related protein 1
NCBI Official Symbol	LRP1
NCBI Official Synonym Symbols	APR; LRP; A2MR; CD91; APOER; LRP1A; TGFBP3R
NCBI Protein Information	prolow-density lipoprotein receptor-related protein 1; LRP-1; type V tgf-beta receptor; apolipoprotein E receptor; alpha-2-macroglobulin receptor; TbetaR-V/LRP-1/IGFBP-3 receptor
UniProt Protein Name	Prolow-density lipoprotein receptor-related protein 1
UniProt Gene Name	LRP1
UniProt Synonym Gene Names	A2MR; APR; LRP-1; A2MR; APOER; LRP-85; LRP-515; LRPICD
UniProt Entry Name	LRP1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

