

Rabbit P Glycoprotein Polyclonal Antibody | anti-ABCB1 antibody

P Glycoprotein Rabbit Polyclonal Antibody

CATALOG # AAA313344	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunofluorescence, Western Blot
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

P Glycoprotein; Polyclonal Antibody; P Glycoprotein Rabbit Polyclonal Antibody; ABC20; CD243; CLCS; GP170; MDR1; P-GP; PGY1; ABCB1; anti-ABCB1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Applicable Applications for anti-ABCB1 antibody	IF (Immunofluorescence), WB (Western Blot)
Immunogen	Recombinant fusion protein of human P Glycoprotein (NP_000918.2).
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescence analysis of NIH/3T3 cells using P Glycoprotein at dilution of 1:100. Blue: DAPI for nuclear staining.



IF (Immunofluorescence)

Immunofluorescence analysis of C6 cells using P Glycoprotein at dilution of 1:100. Blue: DAPI for nuclear staining.



WB (Western Blot)

Western blot analysis of extracts of various cell lines, using P Glycoprotein at 1:1000 dilution.

ADDITIONAL INFORMATION

Related Product Information for anti-ABCB1 antibody	The membrane-associated protein encoded by this gene is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). This protein is a member of the MDR/TAP subfamily. Members of the MDR/TAP subfamily are involved in multidrug resistance. The protein encoded by this gene is an ATP-dependent drug efflux pump for xenobiotic compounds with broad substrate specificity. It is responsible for decreased drug accumulation in multidrug-resistant cells and often mediates the development of resistance to anticancer drugs. This protein also functions as a transporter in the blood-brain barrier. Mutations in this gene are associated with colchicine resistance and Inflammatory bowel disease 13. Alternative splicing and the use of alternative promoters results in multiple transcript variants.
Product Categories/Family for anti-ABCB1 antibody	Primary Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	42741659
NCBI GeneID	5243
NCBI Accession #	NP_000918.2
NCBI GenBank Nucleotide #	NM_000927.4
UniProt Accession #	P08183; Q12755; Q14812; A8K294
Molecular Weight	141kDa
NCBI Official Full Name	multidrug resistance protein 1
NCBI Official Synonym Full Names	ATP-binding cassette, sub-family B (MDR/TAP), member 1
NCBI Official Symbol	ABCB1
NCBI Official Synonym Symbols	CLCS; MDR1; P-GP; PGY1; ABC20; CD243; GP170
NCBI Protein Information	multidrug resistance protein 1; P-glycoprotein 1; colchicin sensitivity; doxorubicin resistance
UniProt Protein Name	Multidrug resistance protein 1
UniProt Gene Name	ABCB1
UniProt Synonym Gene Names	MDR1; PGY1
UniProt Entry Name	MDR1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/p-glycoprotein-antibody-immunofluorescence-western-blot-elisa/313344>