

Rabbit RGS4 Polyclonal Antibody | anti-RGS4 antibody

RGS4 Rabbit Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA313763	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

RGS4; Polyclonal Antibody; RGS4 Rabbit Polyclonal Antibody; RGP4; SCZD9; anti-RGS4 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Applicable Applications for anti-RGS4 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	A synthetic peptide of human RGS4 (NP_005604.1).
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescence analysis of U-2 OS cells using RGS4 at dilution of 1:100. Blue: DAPI for nuclear staining.




IF (Immunofluorescence)

Immunofluorescence analysis of L929 cells using RGS4 at dilution of 1:100. Blue: DAPI for nuclear staining.



IF (Immunofluorescence)

Immunofluorescence analysis of C6 cells using RGS4 at dilution of 1:100. Blue: DAPI for nuclear staining.



WB (Western Blot)

Western blot analysis of extracts of various cell lines, using RGS4 at 1:1000 dilution.

ADDITIONAL INFORMATION

Related Product Information for anti-RGS4 antibody

Regulator of G protein signaling (RGS) family members are regulatory molecules that act as GTPase activating proteins (GAPs) for G alpha subunits of heterotrimeric G proteins. RGS proteins are able to deactivate G protein subunits of the Gi alpha, Go alpha and Gq alpha subtypes. They drive G proteins into their inactive GDP-bound forms. Regulator of G protein signaling 4 belongs to this family. All RGS proteins share a conserved 120-amino acid sequence termed the RGS domain. Regulator of G protein signaling 4 protein is 37% identical to RGS1 and 97% identical to rat Rgs4. This protein negatively regulate signaling upstream or at the level of the heterotrimeric G protein and is localized in the cytoplasm. Alternatively spliced transcript variants have been found for this gene.

Product Categories/Family for anti-RGS4 antibody

Primary Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	5032039
NCBI GeneID	5999
NCBI Accession #	NP_005604.1
NCBI GenBank Nucleotide #	NM_005613.5
UniProt Accession #	P49798; A7XA56; A7XA58; A7XA59; A7YVV7; B1APZ3
Molecular Weight	23,256 Da
NCBI Official Full Name	regulator of G-protein signaling 4 isoform 2
NCBI Official Synonym Full Names	regulator of G-protein signaling 4
NCBI Official Symbol	RGS4
NCBI Official Synonym Symbols	RGP4; SCZD9
NCBI Protein Information	regulator of G-protein signaling 4; schizophrenia disorder 9
UniProt Protein Name	Regulator of G-protein signaling 4
UniProt Gene Name	RGS4
UniProt Synonym Gene Names	RGP4; RGS4
UniProt Entry Name	RGS4_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/rgs4-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/313763>