

Rabbit TRIM28 Polyclonal Antibody | anti-TRIM28 antibody

TRIM28 Rabbit Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA313802	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

TRIM28; Polyclonal Antibody; TRIM28 Rabbit Polyclonal Antibody; KAP1; PPP1R157; RNF96; TF1B; TIF1B; anti-TRIM28 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Applicable Applications for anti-TRIM28 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant fusion protein of human TRIM28 (NP_005753.1).
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded rat brain using TRIM28 at dilution of 1:100 (40x lens).




WB (Western Blot)

Western blot analysis of extracts of various cell lines, using TRIM28 at 1:1000 dilution.




IF (Immunofluorescence)

Immunofluorescence analysis of U-2 OS cells using TRIM28 Polyclonal at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



IF (Immunofluorescence)

Immunofluorescence analysis of L929 cells using TRIM28 Polyclonal at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



IF (Immunofluorescence)

Immunofluorescence analysis of C6 cells using TRIM28 Polyclonal at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.

ADDITIONAL INFORMATION

Related Product Information for anti-TRIM28 antibody	The protein encoded by this gene mediates transcriptional control by interaction with the Kruppel-associated box repression domain found in many transcription factors. The protein localizes to the nucleus and is thought to associate with specific chromatin regions. The protein is a member of the tripartite motif family. This tripartite motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region.
Product Categories/Family for anti-TRIM28 antibody	Primary Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	3183179
NCBI GeneID	10155
UniProt Accession #	Q13263 ; O00677 ; Q7Z632 ; Q93040 ; Q96IM1
Molecular Weight	835
NCBI Official Full Name	Transcription intermediary factor 1-beta
NCBI Official Synonym Full Names	tripartite motif containing 28
NCBI Official Symbol	TRIM28
NCBI Official Synonym Symbols	KAP1; TF1B; RNF96; TIF1B; PPP1R157

NCBI Protein Information	transcription intermediary factor 1-beta; KAP-1; KRIP-1; TIF1-beta; RING finger protein 96; KRAB-associated protein 1; nuclear corepressor KAP-1; KRAB-interacting protein 1; E3 SUMO-protein ligase TRIM28; tripartite motif-containing 28; tripartite motif-c
UniProt Protein Name	Transcription intermediary factor 1-beta
UniProt Gene Name	TRIM28
UniProt Synonym Gene Names	KAP1; RNF96; TIF1B; TIF1-beta; KAP-1; KRIP-1
UniProt Entry Name	TIF1B_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/trim28-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/313802>