

Bim recombinant antibody

Bim Rabbit mAb

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA315128	Rabbit	Human, Mouse, Rat	Flow Cytometry, Functional Assay, Immunoprecipitation, Immunofluorescence, Immunocytochemistry, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

Bim; Monoclonal Recombinant Antibody; Bim Rabbit mAb; BAM; BIM; BOD; BimL; BimS; BimEL; BIM-beta6; BIM-beta7; BIM-alpha6; BCL2L11; Bim recombinant antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Monoclonal
Isotype	Rabbit IgG
Specificity	Bim Antibody detects endogenous levels of total Bim
Purity/Purification	Affinity-chromatography
Form/Format	Rabbit IgG in phosphate buffered saline, pH7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Applicable Applications for Bim recombinant antibody	FCM/FACS (Flow Cytometry), IP (Immunoprecipitation), IF (Immunofluorescence), ICC (Immunocytochemistry), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	A synthesized peptide derived from human Bim
Preparation and Storage	Store at +4 degree C short term. Store at -20 degree C long term. Avoid freeze/thaw cycle.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of Raji cells, using Bim Antibody.



IHC (Immunohistochemistry)

Immunohistochemical analysis of paraffin-embedded human cervix cancer, using Bim Antibody.



WB (Western Blot)

Western blot analysis of Bim expression in A431 cell lysate.

ADDITIONAL INFORMATION

Related Product Information for Bim recombinant antibody	Bim a pro-apoptotic member of the BCL-2 protein family. Interacts with other members of the BCL-2 protein family, including BCL2, BCL2L1/BCL-X(L), and MCL1, and act as an apoptotic activator. Its expression can be induced by nerve growth factor (NGF), as well as by the forkhead transcription factor FKHR-L1, which suggests a role in neuronal and lymphocyte apoptosis.
Product Categories/Family for Bim recombinant antibody	Recombinant Rabbit Monoclonal

NCBI AND UNIPROT INFORMATION

NCBI GI #	323362959
NCBI GeneID	10018
NCBI Accession #	NP_001191035.1
NCBI GenBank Nucleotide #	NM_001204106.1
UniProt Accession #	O43521; O43522; Q0MSE7; Q0MSE8; Q0MSE9; Q53R28; Q6JTU6; Q6T851; Q6TE14; Q6TE15; Q6TE16; A8K2W2
Molecular Weight	22,171 Da
NCBI Official Full Name	bcl-2-like protein 11 isoform 11
NCBI Official Synonym Full Names	BCL2-like 11 (apoptosis facilitator)
NCBI Official Symbol	BCL2L11
NCBI Official Synonym Symbols	BAM; BIM; BOD
NCBI Protein Information	bcl-2-like protein 11; bcl-2 interacting protein Bim; bcl-2-related ovarian death agonist; bcl-2 interacting mediator of cell death
UniProt Protein Name	Bcl-2-like protein 11
UniProt Gene Name	BCL2L11
UniProt Synonym Gene Names	BIM; Bcl2-L-11
UniProt Entry Name	B2L11_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

