

Rabbit FAK Polyclonal Antibody | anti-FAK antibody

FAK (Phospho-Ser732) Rabbit Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA318653	Rabbit	Human, Mouse, Rat	Western Blot, Immunofluorescence, Immunohistochemistry


PRODUCT SYNONYMS

FAK; Polyclonal Antibody; FAK (Phospho-Ser732) Rabbit Polyclonal Antibody; Focal adhesion kinase 1 (FADK 1)(EC 2.7.10.2)(Focal adhesion kinase-related nonkinase)(FRNK)(Protein phosphatase 1 regulatory subunit 71)(PPP1R71)(Protein-tyrosine kinase 2)(p125FAK)(pp125FAK); BH6842; FAK (Phospho-Ser732); anti-FAK antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	The antibody detects endogenous phospho levels of FAK (Phospho-Ser732) at Human:S732, Mouse:S770, Rat:S732
Purity/Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Form/Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Concentration	1mg/ml (varies by lot)
Applicable Applications for anti-FAK antibody	WB (Western Blot), IF (Immunofluorescence), IHC (Immunohistochemistry)
Immunogen	Synthesized peptide derived from human FAK (Phospho-Ser732)
Modification	Phospho Specific
Preparation and Storage	Store at -20 degree C/1 year

IMAGES



IHC (Immunohistochemistry)

Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4 degree overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).



WB (Western Blot)

Western Blot analysis of 1 A431 treated with LPS, 2 A431,using primary antibody at 1:1000 dilution. Secondary antibody

ADDITIONAL INFORMATION

Related Product Information for anti-FAK antibody	protein tyrosine kinase 2 (PTK2) Homo sapiens This gene encodes a Cytoplasmic protein tyrosine kinase which is found concentrated in the focal adhesions that form between cells growing in the presence of Extracellular matrix constituents. The encoded protein is a member of the FAK subfamily of protein tyrosine kinases but lacks significant sequence similarity to kinases from other subfamilies. Activation of this gene may be an important early step in cell growth and intracellular signal transduction pathways triggered in response to certain neural peptides or to cell interactions with the Extracellular matrix. Several transcript variants encoding different isoforms have been found for this gene, but the full-length natures of only four of them have been determined. [provided by RefSeq, Oct 2015]
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	313851044
NCBI GeneID	5747
NCBI Accession #	NP_001186578.1
NCBI GenBank Nucleotide #	NM_001199649.1
UniProt Accession #	Q05397; Q14291; Q9UD85; B4E2N6; F5H4S4
Molecular Weight	119,233 Da
NCBI Official Full Name	focal adhesion kinase 1 isoform c
NCBI Official Synonym Full Names	protein tyrosine kinase 2
NCBI Official Symbol	PTK2
NCBI Official Synonym Symbols	FAK; FADK; FAK1; FRNK; PPP1R71; p125FAK; pp125FAK
NCBI Protein Information	focal adhesion kinase 1; FADK 1; PTK2 protein tyrosine kinase 2; FAK-related non-kinase polypeptide; focal adhesion kinase-related nonkinase; protein phosphatase 1 regulatory subunit 71; protein phosphatase 1, regulatory subunit 71
UniProt Protein Name	Focal adhesion kinase 1
UniProt Gene Name	PTK2
UniProt Synonym Gene Names	FAK; FAK1; FADK 1; FRNK; PPP1R71
UniProt Entry Name	FAK1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/fak-antibody-western-blot-immunofluorescence-immunohistochemistry-elisa/318653>