

Rabbit Eotaxin-2 Polyclonal Antibody | anti-CCL24 antibody

Eotaxin-2 Rabbit Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA318844	Rabbit	Human, Rat, Mouse	ELISA, Immunofluorescence, Immunohistochemistry


PRODUCT SYNONYMS

Eotaxin-2; Polyclonal Antibody; Eotaxin-2 Rabbit Polyclonal Antibody; C-C motif chemokine 24 (CK-beta-6)(Eosinophil chemotactic protein 2)(Eotaxin-2)(Myeloid progenitor inhibitory factor 2)(MPIF-2)(Small-inducible cytokine A24); BH6842; anti-CCL24 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Rat, Mouse
Clonality	Polyclonal
Specificity	The antibody detects endogenous Eotaxin-2
Purity/Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Form/Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Concentration	1mg/ml (varies by lot)
Applicable Applications for anti-CCL24 antibody	ELISA, IF (Immunofluorescence), IHC (Immunohistochemistry)
Immunogen	Synthetic peptide from human protein at AA range: 61-110
Modification	Unmodified/Total
Preparation and Storage	Store at -20 degree C/1 year

IMAGES



IHC (Immunohistochemistry)

Immunohistochemical analysis of paraffin-embedded human-lung, antibody was diluted at 1:200



IHC (Immunohistochemistry)

Immunohistochemical analysis of paraffin-embedded human-lung, antibody was diluted at 1:200

ADDITIONAL INFORMATION

Related Product Information for anti-CCL24 antibody	This gene belongs to the subfamily of small cytokine CC genes. Cytokines are a family of secreted proteins involved in immunoregulatory and inflammatory processes. The CC cytokines are proteins characterized by two adjacent cysteines. The cytokine encoded by this gene displays chemotactic activity on resting T lymphocytes, a minimal activity on neutrophils, and is negative on monocytes and activated T lymphocytes. The protein is also a strong suppressor of colony formation by a multipotential hematopoietic progenitor cell line. [provided by RefSeq, Jul 2008]
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	6920081
NCBI GeneID	6369
UniProt Accession #	O00175; B2R5K2
Molecular Weight	119
NCBI Official Full Name	C-C motif chemokine 24
NCBI Official Synonym Full Names	chemokine (C-C motif) ligand 24
NCBI Official Symbol	CCL24
NCBI Official Synonym Symbols	Ckb-6; MPIF2; MPIF-2; SCYA24
NCBI Protein Information	C-C motif chemokine 24; CK-beta-6; eotaxin-2; small-inducible cytokine A24; eosinophil chemotactic protein 2; myeloid progenitor inhibitory factor 2; small inducible cytokine subfamily A (Cys-Cys), member 24
UniProt Protein Name	C-C motif chemokine 24
UniProt Gene Name	CCL24
UniProt Synonym Gene Names	MPIF2; SCYA24; MPIF-2
UniProt Entry Name	CCL24_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/eotaxin-2-antibody-immunofluorescence-immunohistochemistry-elisa/318844>