

Mouse PDH-E1alpha Monoclonal Antibody | anti-PDH-E1alpha antibody

PDH-E1alpha Monoclonal Antibody

CATALOG # AAA320273	HOST Mouse	REACTIVITY Human, Mouse, Rat, Bovine, Dog, Pig	APPLICATIONS Immunocytochemistry, Immunofluorescence, Western Blot
-------------------------------	----------------------	--	--

PRODUCT SYNONYMS

PDH-E1alpha; Monoclonal Antibody; PDH-E1alpha Monoclonal Antibody; Pyruvate dehydrogenase E1 component subunit alpha somatic form mitochondrial; PDHA1; PHE1A; Pyruvate dehydrogenase E1 component subunit alpha; somatic form; mitochondrial; PDHE1-A type I; anti-PDH-E1alpha antibody

PRODUCT SPECIFICATIONS

Host	Mouse
Reactivity	Human, Mouse, Rat, Bovine, Dog, Pig
Clonality	Monoclonal
Specificity	PDH-E1alpha Monoclonal Antibody detects endogenous levels of PDH-E1alpha protein.
Purity/Purification	Affinity purification
Form/Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Concentration	1mg/ml (varies by lot)
Applicable Applications for anti-PDH-E1alpha antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), WB (Western Blot)
Immunogen	Purified recombinant human PDH-E1? (C-terminus) protein fragments expressed in E coli.
Modification	Unmodified/Total
Preparation and Storage	Store at -20 degree C/1 year

IMAGES


IF (Immunofluorescence)

Immunofluorescence analysis of HeLa cells using PDH-E1? Monoclonal Antibody.


WB (Western Blot)

Western Blot analysis using PDH-E1? Monoclonal Antibody against A549. HeLa cell lysate.

ADDITIONAL INFORMATION

Related Product Information for anti-PDH-E1alpha antibody	The pyruvate dehydrogenase (PDH) complex is a nuclear-encoded mitochondrial multienzyme complex that catalyzes the overall conversion of pyruvate to acetyl-CoA and CO₂, and provides the primary link between glycolysis and the tricarboxylic acid (TCA) cycle. The PDH complex is composed of multiple copies of three enzymatic components; pyruvate dehydrogenase (E1), dihydrolipoamide acetyltransferase (E2) and lipoamide dehydrogenase (E3). The E1 enzyme is a heterotetramer of two alpha and two beta subunits. This gene encodes the E1 alpha 1 subunit containing the E1 active site, and plays a key role in the function of the PDH complex. Mutations in this gene are associated with pyruvate dehydrogenase E1-alpha deficiency and X-linked Leigh syndrome. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.[provided by RefSeq, Mar 2010]
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	4505685
NCBI GeneID	5160
NCBI Accession #	NP_000275.1
NCBI GenBank Nucleotide #	NM_000284.3
UniProt Accession #	P08559; Q53H41; Q5JPT8; Q9NP12; Q9UBJ8; Q9UBU0; Q9UNG4; Q9UNG5; A5YVE9; B7Z3T7; B7Z3X5
Molecular Weight	43,296 Da
NCBI Official Full Name	pyruvate dehydrogenase E1 component subunit alpha, somatic form, mitochondrial isoform 1
NCBI Official Synonym Full Names	pyruvate dehydrogenase (lipoamide) alpha 1
NCBI Official Symbol	PDHA1
NCBI Official Synonym Symbols	PDHA; PHE1A; PDHCE1A
NCBI Protein Information	pyruvate dehydrogenase E1 component subunit alpha, somatic form, mitochondrial; PDHE1-A type I; pyruvate dehydrogenase complex, E1-alpha polypeptide 1
UniProt Protein Name	Pyruvate dehydrogenase E1 component subunit alpha, somatic form, mitochondrial
UniProt Gene Name	PDHA1
UniProt Synonym Gene Names	PHE1A
UniProt Entry Name	ODPA_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/pdh-e1alpha-antibody-immunocytochemistry-immunofluorescence-western-blot-elisa/320273>