

Rabbit TNF-R2 Polyclonal Antibody | anti-TNF-R2 antibody

TNF-R2 Antibody

CATALOG # AAA320996	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS ELISA, Immunocytochemistry, Immunofluorescence, Western Blot
-------------------------------	-----------------------	--	---

PRODUCT SYNONYMS

TNF-R2; Polyclonal Antibody; TNF-R2 Antibody; CD120b; p75; p75 TNF receptor; p75TNFR; p80 TNF alpha receptor; p80 TNF-alpha receptor; Soluble TNFR1B variant 1; TBP-2; TBP2; TNF R II; TNF R2; TNF R75; TNF-RII; TNFBR; TNFR-II; TNFR1B; TNFR2; TNFR80; TNFRII; Tnfrsf1b; TNFR1B_HUMAN; Tumor necrosis factor beta receptor; Tumor necrosis factor receptor 2; Tumor necrosis factor receptor superfamily member 1B; Tumor necrosis factor receptor type II; Tumor necrosis factor-binding protein 2; anti-TNF-R2 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Specificity	TNF-R2 antibody detects endogenous levels of total TNF-R2
Purity/Purification	The antiserum was purified by peptide affinity chromatography using SulfoLink Coupling Resin.
Form/Format	Liquid Phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	1mg/ml (varies by lot)
Sequence Length	461
Applicable Applications for anti-TNF-R2 antibody	ELISA, ICC (Immunocytochemistry), IF (Immunofluorescence), WB (Western Blot)
Immunogen	A synthesized peptide derived from human TNF-R2
Subcellular Location	Secreted and Cell Membrane.
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Stable for 12 months from date of receipt.

IMAGES




IF (Immunofluorescence)

AAA320996 staining HeLa cells by IF/ICC. The sample were fixed with PFA and permeabilized in 0.1% Triton X-100, then blocked in 10% serum for 45 minutes at 25 degree C. The primary antibody was diluted at 1/200 and incubated with the sample for 1 hour at 37 degree C. An Alexa Fluor 594 conjugated goat anti-rabbit IgG (H+L) antibody, diluted at 1/600, was used as secondary antibody.



IF (Immunofluorescence)

AAA320996 staining RAW264.7 by IF/ICC. The sample were fixed with PFA and permeabilized in 0.1% Triton X-100, then blocked in 10% serum for 45 minutes at 25 degree C. The primary antibody was diluted at 1/200 and incubated with the sample for 1 hour at 37 degree C. An Alexa Fluor 594 conjugated goat anti-rabbit IgG (H+L) Ab, diluted at 1/600, was used as the secondary antibody.



WB (Western Blot)

Western blot analysis on LOVO cell lysate using TNF-R2 Antibody, The lane on the left is treated with the antigen-specific peptide.

ADDITIONAL INFORMATION

Related Product Information for anti-TNF-R2 antibody

Function: Receptor with high affinity for TNFSF2/TNF-alpha and approximately 5-fold lower affinity for homotrimeric TNFSF1/lymphotoxin-alpha. The TRAF1/TRAF2 complex recruits the apoptotic suppressors BIRC2 and BIRC3 to TNFRSF1B/TNFR2. This receptor mediates most of the metabolic effects of TNF-alpha. Isoform 2 blocks TNF-alpha-induced apoptosis, which suggests that it regulates TNF-alpha function by antagonizing its biological activity. Subunit Structure: Binds to TRAF2 (PubMed:8069916, PubMed:10206649). Interacts with BMX (PubMed:12370298). Interacts (activated form) with XPNPEP3 (PubMed:25609706). Post-translational Modifications: Phosphorylated; mainly on serine residues and with a very low level on threonine residues. A soluble form (tumor necrosis factor binding protein 2) is produced from the membrane form by proteolytic processing.

NCBI AND UNIPROT INFORMATION

NCBI GI #	4507577
NCBI GeneID	7133
NCBI Accession #	NP_001057.1
NCBI GenBank Nucleotide #	NM_001066.2
UniProt Accession #	P20333; Q16042; Q6YI29; Q9UIH1; B1AJZ3
Molecular Weight	Observed: 48 kDa Predicted: 49 kDa

NCBI Official Full Name	tumor necrosis factor receptor superfamily member 1B
NCBI Official Synonym Full Names	TNF receptor superfamily member 1B
NCBI Official Symbol	TNFRSF1B
NCBI Official Synonym Symbols	p75; TBPII; TNFBR; TNFR2; CD120b; TNFR1B; TNFR80; TNF-R75; p75TNFR; TNF-R-II
NCBI Protein Information	tumor necrosis factor receptor superfamily member 1B
UniProt Protein Name	Tumor necrosis factor receptor superfamily member 1B
UniProt Gene Name	TNFRSF1B
UniProt Synonym Gene Names	TNFBR; TNFR2; TNF-R2; TNF-RII; TNFR-II

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/tnf-r2-antibody-immunocytochemistry-immunofluorescence-western-blot-elisa/320996>