

Rabbit DEK Polyclonal Antibody | anti-DEK antibody

DEK Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA322923	Rabbit	Human, Mouse, Rat	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Western Blot

PRODUCT SYNONYMS

DEK; Polyclonal Antibody; DEK Antibody; D6S231E; Dek; DEK gene; DEK oncogene; DEK oncogene DNA binding; DEK_HUMAN; Protein DEK; anti-DEK antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	The antiserum was purified by peptide affinity chromatography using SulfoLink Coupling Resin.
Form/Format	Phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	~1mg/ml (varies by lot)
Sequence Length	341
Applicable Applications for anti-DEK antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	A synthesized peptide derived from human DEK, corresponding to a region within the internal amino acids
Preparation and Storage	Store at -20°C. Stable for 12 months from date of receipt.

IMAGES




WB (Western Blot)

Western blot analysis of extracts of HeLa cells, using DEK antibody.




IHC (Immunohistochemistry)

AAA322923 at 1/100 staining Human breast cancer tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the antibody for 1.5 hours at 22 degree C. An HRP conjugated goat anti-rabbit antibody was used as the secondary.



IHC (Immunohistochemistry)

AAA322923 at 1/100 staining Rat spleen tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the primary Ab at 4°C overnight. An HRP conjugated anti-Rabbit Ab was used as the secondary Ab.



WB (Western Blot)

Western blot analysis of extracts from HeLa cells, using DEK Ab. Lane 1 was treated with the blocking peptide.

NCBI AND UNIPROT INFORMATION

NCBI GI #	197927454
NCBI GeneID	7913
NCBI Accession #	NP_001128181.1
NCBI GenBank Nucleotide #	NM_001134709.1
UniProt Accession #	P35659; Q5TGV4; Q5TGV5; B2R6K6; B4DN37
Molecular Weight	43-50 kDa
NCBI Official Full Name	protein DEK isoform 2
NCBI Official Synonym Full Names	DEK proto-oncogene
NCBI Official Symbol	DEK
NCBI Official Synonym Symbols	D6S231E
NCBI Protein Information	protein DEK
UniProt Protein Name	Protein DEK
UniProt Gene Name	DEK

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/dek-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-western-blot-elisa/322923>