

Rabbit anti-Human, Mouse CTSD Polyclonal Antibody | anti-CTSD antibody

CTSD Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA325443	Rabbit	Human, Mouse	ELISA, Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

CTSD; Polyclonal Antibody; CTSD Antibody; CatD; CATD_HUMAN; Cathepsin D; Cathepsin D heavy chain; CD; Ceroid lipofuscinosis neuronal 10; CLN10; CPD; ctsd; Epididymis secretory sperm binding protein Li 130P; HEL S 130P; Lysosomal aspartyl peptidase; Lysosomal aspartyl protease; MGC2311; anti-CTSD antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Isotype	IgG
Specificity	CTSD antibody detects endogenous levels of total CTSD
Purity/Purification	The antiserum was purified by peptide affinity chromatography using SulfoLink Coupling Resin.
Form/Format	Liquid Phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	1mg/ml (varies by lot)
Sequence Length	412
Applicable Applications for anti-CTSD antibody	ELISA, ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	A synthesized peptide
Subcellular Location	Lysosome. Melanosome. Secreted, Extracellular Space. Identified by mass spectrometry in melanosome fractions from stage I to stage IV. In aortic samples, detected as an extracellular protein loosely bound to the matrix (PubMed:20551380).
Tissue Specificity	Expressed in the aorta extracellular space (at protein level) (PubMed:20551380). Expressed in liver (at protein level) (PubMed:1426530).
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Stable for 12 months from date of receipt.


IMAGES



WB (Western Blot)
Western blot analysis of extracts from HeLa cells, using CTSD antibody.



IF (Immunofluorescence)
AAA325443 staining HeLa by IF/ICC. The sample were fixed with PFA and permeabilized in 0.1% Triton X-100, then blocked in 10% serum for 45 minutes at 25 degree C. The primary antibody was diluted at 1/200 and incubated with the sample for 1 hour at 37 degree C. An Alexa Fluor 594 conjugated goat anti-rabbit IgG (H+L) Ab, diluted at 1/600, was used as the secondary antibody.



IHC (Immunohistochemistry)
AAA325443 at 1/100 staining Mouse liver tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the antibody for 1.5 hours at 22 degree C. An HRP conjugated goat anti-rabbit antibody was used as the secondary.

ADDITIONAL INFORMATION

Related Product Information for anti-CTSD antibody	Function: Acid protease active in intracellular protein breakdown. Plays a role in APP processing following cleavage and activation by ADAM30 which leads to APP degradation (PubMed:27333034). Involved in the pathogenesis of several diseases such as breast cancer and possibly Alzheimer disease. Subunit Structure: Consists of a light chain and a heavy chain (PubMed:8393577, PubMed:1426530). Interacts with ADAM30; this leads to activation of CTSD (PubMed:27333034). Post-translational Modifications: N-and O-glycosylated. Undergoes proteolytic cleavage and activation by ADAM30. As well as the major heavy chain which starts at Leu-169, 2 minor forms starting at Gly-170 and Gly-171 have been identified (PubMed:1426530). An additional form starting at Ala-168 has also been identified (PubMed:27333034). Similarity: Belongs to the peptidase A1 family.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	4503143
NCBI GeneID	1509
NCBI Accession #	NP_001900.1
NCBI GenBank Nucleotide #	NM_001909.4
UniProt Accession #	P07339; Q6IB57
Molecular Weight	Observed: 44 kD Predicted: 45 kDa

NCBI Official Full Name	cathepsin D preproprotein
NCBI Official Synonym Full Names	cathepsin D
NCBI Official Symbol	CTSD
NCBI Official Synonym Symbols	CPSD; CLN10; HEL-S-130P
NCBI Protein Information	cathepsin D
UniProt Protein Name	Cathepsin D
UniProt Gene Name	CTSD
UniProt Synonym Gene Names	CPSD

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/ctsd-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-western-blot-elisa/325443>