

Rabbit ACTR3 Polyclonal Antibody | anti-ACTR3 antibody

ACTR3 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA325990	Rabbit	Human, Mouse, Rat	ELISA, Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

ACTR3; Polyclonal Antibody; ACTR3 Antibody; Actin like protein 3; Actin related protein 3; ARP3 actin related protein 3 homolog (yeast); anti-ACTR3 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Specificity	ACTR3 antibody detects endogenous levels of total ACTR3
Purity/Purification	The antiserum was purified by peptide affinity chromatography using SulfoLink Coupling Resin.
Form/Format	Liquid Phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	1mg/ml (varies by lot)
Sequence Length	418
Applicable Applications for anti-ACTR3 antibody	ELISA, ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	A synthesized peptide derived from human ACTR3
Subcellular Location	Cytoplasmic
Predicted Cross Reactivity	Pig, Bovine, Horse, Sheep, Rabbit, Dog, Chicken
Similarity	Pig (100%), Bovine (100%), Horse (100%), Sheep (100%), Rabbit (100%), Dog (100%), Chicken (100%)
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Stable for 12 months from date of receipt.

IMAGES



IHC (Immunohistochemistry)

AAA325990 at 1/100 staining Human prostate tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the antibody for 1.5 hours at 22 degree C. An HRP conjugated goat anti-rabbit antibody was used as the secondary.



WB (Western Blot)

Western blot analysis of Jurkat whole cell lysates, using ACTR3 Antibody. The lane on the left is treated with the antigen-specific peptide.



IF (Immunofluorescence)

AAA325990 staining Hela cells by IF/ICC. The sample were fixed with PFA and permeabilized in 0.1% Triton X-100, then blocked in 10% serum for 45 minutes at 25 degree C. The primary antibody was diluted at 1/200 and incubated with the sample for 1 hour at 37 degree C. An Alexa Fluor 594 conjugated goat anti-rabbit IgG (H+L) antibody, diluted at 1/600, was used as secondary antibody.

ADDITIONAL INFORMATION

Related Product Information for anti-ACTR3 antibody

Description: Actin nucleation, the formation of new actin filaments from existing filaments, affects actin filament structure during cell motility, division, and intracellular trafficking. An important actin nucleation protein complex is the highly conserved ARP2/3 complex, consisting of ARP2, ARP3, and ARPC1-5. The ARP2/3 complex promotes branching of an existing actin filament and formation of a daughter filament following activation by nucleation-promoting factors, such as WASP/WAVE or cortactin (1). The formation of podosomes, small cellular projections that degrade the extracellular matrix, is enhanced by ARP2/3 complex action. ARP2/3 competes with caldesmon, an actin binding protein shown to negatively affect podosome formation (2). Along with N-WASP, the ARP2/3 complex regulates nuclear actin filament nucleation and controls actin polymerization during transcription (3).

Function: Functions as ATP-binding component of the Arp2/3 complex which is involved in regulation of actin polymerization and together with an activating nucleation-promoting factor (NPF) mediates the formation of branched actin networks. Seems to contact the pointed end of the daughter actin filament. Plays a role in ciliogenesis.

Subunit Structure: Component of the Arp2/3 complex composed of ARP2, ARP3, ARPC1B/p41-ARC, ARPC2/p34-ARC, ARPC3/p21-ARC, ARPC4/p20-ARC and ARPC5/p16-ARC. Interacts with WHDC1. Interacts weakly with MEFV.

Similarity: Belongs to the actin family. ARP3 subfamily.

NCBI AND UNIPROT INFORMATION

NCBI GI #	5031573
NCBI GeneID	10096
NCBI Accession #	NP_005712.1
NCBI GenBank Nucleotide #	NM_005721.4
UniProt Accession #	P61158; P32391; Q53QM2
Molecular Weight	Observed: 47 kDa Predicted: 48 kDa
NCBI Official Full Name	actin-related protein 3 isoform 1
NCBI Official Synonym Full Names	ARP3 actin related protein 3 homolog
NCBI Official Symbol	ACTR3
NCBI Official Synonym Symbols	ARP3
NCBI Protein Information	actin-related protein 3
UniProt Protein Name	Actin-related protein 3
UniProt Gene Name	ACTR3
UniProt Synonym Gene Names	ARP3

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.