

Rabbit FABP1 Polyclonal Antibody | anti-FABP1 antibody

FABP1 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA326970	Rabbit	Human, Mouse, Rat	ELISA, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

FABP1; Polyclonal Antibody; FABP1 Antibody; FABP 1; FABPL; FABPL_HUMAN; Fatty Acid Binding Protein 1; Fatty acid binding protein 1 liver; Fatty Acid Binding Protein; Fatty acid-binding protein 1; Fatty acid-binding protein; Fatty acid-binding protein liver; L FABP; L-FABP; liver; Liver-type fatty acid-binding protein; anti-FABP1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Specificity	FABP1 antibody detects endogenous levels of total FABP1
Purity/Purification	The antiserum was purified by peptide affinity chromatography using SulfoLink Coupling Resin.
Form/Format	Liquid Phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	1mg/ml (varies by lot)
Sequence Length	127
Applicable Applications for anti-FABP1 antibody	ELISA, IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	A synthesized peptide derived from human FABP1
Subcellular Location	Cytoplasm.
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Stable for 12 months from date of receipt.

IMAGES



WB (Western Blot)

Western blot analysis of extracts of mouse liver, using RAD51 antibody. The lane on the left is treated with the antigen-specific peptide.



IHC (Immunohistochemistry)

AAA326970 at 1/100 staining Rat kidney tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the antibody for 1.5 hours at 22 degree C. An HRP conjugated goat anti-rabbit antibody was used as the secondary.

ADDITIONAL INFORMATION

Related Product Information for anti-FABP1 antibody

Description: This gene encodes the fatty acid binding protein found in liver. Fatty acid binding proteins are a family of small, highly conserved, cytoplasmic proteins that bind long-chain fatty acids and other hydrophobic ligands. This protein and FABP6 (the ileal fatty acid binding protein) are also able to bind bile acids. It is thought that FABPs roles include fatty acid uptake, transport, and metabolism.

Function: Plays a role in lipoprotein-mediated cholesterol uptake in hepatocytes (PubMed:25732850). Binds cholesterol (PubMed:25732850). Binds free fatty acids and their coenzyme A derivatives, bilirubin, and some other small molecules in the cytoplasm. May be involved in intracellular lipid transport (By similarity).

Similarity: Forms a beta-barrel structure that accommodates hydrophobic ligands in its interior. Belongs to the calycin superfamily. Fatty-acid binding protein (FABP) family.

NCBI AND UNIPROT INFORMATION

NCBI GI #	4557577
NCBI GeneID	2168
NCBI Accession #	NP_001434.1
NCBI GenBank Nucleotide #	NM_001443.2
UniProt Accession #	P07148
Molecular Weight	Observed: 14 kDa Predicted: 15 kDa
NCBI Official Full Name	fatty acid-binding protein, liver
NCBI Official Synonym Full Names	fatty acid binding protein 1
NCBI Official Symbol	FABP1
NCBI Official Synonym Symbols	FABPL; L-FABP
NCBI Protein Information	fatty acid-binding protein, liver
UniProt Protein Name	Fatty acid-binding protein, liver
UniProt Gene Name	FABP1
UniProt Synonym Gene Names	FABPL; L-FABP

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

