

Rabbit anti-Human, Mouse IRAK3 Polyclonal Antibody | anti-IRAK3 antibody

IRAK3 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA327056	Rabbit	Human, Mouse	ELISA, Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

IRAK3; Polyclonal Antibody; IRAK3 Antibody; ASRT5; IL 1 receptor associated kinase M; IL-1 receptor-associated kinase M; IL1 receptor associated kinase M; Interleukin 1 receptor associated kinase 3; Interleukin 1 receptor associated kinase M; Interleukin-1 receptor-associated kinase 3; IRAK M; IRAK-3; IRAK-M; Irak3; IRAK3_HUMAN; anti-IRAK3 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Isotype	IgG
Specificity	IRAK3 antibody detects endogenous levels of total IRAK3
Purity/Purification	The antiserum was purified by peptide affinity chromatography using SulfoLink Coupling Resin.
Form/Format	Liquid Phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	1mg/ml (varies by lot)
Sequence Length	535
Applicable Applications for anti-IRAK3 antibody	ELISA, ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	A synthesized peptide derived from human IRAK3
Tissue Specificity	Expressed predominantly in peripheral blood lymphocytes.
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Stable for 12 months from date of receipt.

IMAGES



WB (Western Blot)

Western blot analysis of A549 cell lysate, using IRAK3 Antibody. The lane on the left is treated with the antigen-specific peptide.



IF (Immunofluorescence)

AAA327056 staining A549 by IF/ICC. The sample were fixed with PFA and permeabilized in 0.1% Triton X-100, then blocked in 10% serum for 45 minutes at 25 degree C. The primary antibody was diluted at 1/200 and incubated with the sample for 1 hour at 37 degree C. An Alexa Fluor 594 conjugated goat anti-rabbit IgG (H+L) Ab, diluted at 1/600, was used as the secondary antibody.



IHC (Immunohistochemistry)

AAA327056 at 1/100 staining Mouse liver tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the antibody for 1.5 hours at 22 degree C. An HRP conjugated goat anti-rabbit antibody was used as the secondary.

ADDITIONAL INFORMATION

Related Product Information for anti-IRAK3 antibody	<p>Description: This gene encodes a member of the interleukin-1 receptor-associated kinase protein family. Members of this family are essential components of the Toll/IL-R immune signal transduction pathways. This protein is primarily expressed in monocytes and macrophages and functions as a negative regulator of Toll-like receptor signaling. Mutations in this gene are associated with a susceptibility to asthma. Alternate splicing results in multiple transcript variants.</p> <p>Function: Inhibits dissociation of IRAK1 and IRAK4 from the Toll-like receptor signaling complex by either inhibiting the phosphorylation of IRAK1 and IRAK4 or stabilizing the receptor complex.</p> <p>Similarity: Belongs to the protein kinase superfamily. TKL Ser/Thr protein kinase family. Pelle subfamily.</p>
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	216547504
NCBI GeneID	11213
NCBI Accession #	NP_001135995.1
NCBI GenBank Nucleotide #	NM_001142523.1
UniProt Accession #	Q9Y616; B4DQ57
Molecular Weight	Observed: 68 kDa Predicted: 68 kDa
NCBI Official Full Name	interleukin-1 receptor-associated kinase 3 isoform b
NCBI Official Synonym Full Names	interleukin 1 receptor associated kinase 3
NCBI Official Symbol	IRAK3
NCBI Official Synonym Symbols	ASRT5; IRAKM
NCBI Protein Information	interleukin-1 receptor-associated kinase 3
UniProt Protein Name	Interleukin-1 receptor-associated kinase 3
UniProt Gene Name	IRAK3
UniProt Synonym Gene Names	IRAK-3; IRAK-M

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/irak3-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-western-blot-elisa/327056>