

Rabbit MB Polyclonal Antibody | anti-MB antibody

MB Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA327059	Rabbit	Human, Mouse, Rat	ELISA, Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Western Blot

PRODUCT SYNONYMS

MB; Polyclonal Antibody; MB Antibody; MGC13548; MYG_HUMAN; Myoglobin; PVALB; anti-MB antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Specificity	MB antibody detects endogenous levels of total MB
Purity/Purification	The antiserum was purified by peptide affinity chromatography using SulfoLink Coupling Resin.
Form/Format	Liquid Phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	1mg/ml (varies by lot)
Sequence Length	154
Applicable Applications for anti-MB antibody	ELISA, ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	A synthesized peptide derived from human MB
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Stable for 12 months from date of receipt.

IMAGES




IF (Immunofluorescence)

AAA327059 staining Hela cells by IF/ICC. The sample were fixed with PFA and permeabilized in 0.1% Triton X-100, then blocked in 10% serum for 45 minutes at 25 degree C. The primary antibody was diluted at 1/200 and incubated with the sample for 1 hour at 37 degree C. An Alexa Fluor 594 conjugated goat anti-rabbit IgG (H+L) antibody, diluted at 1/600, was used as secondary antibody.



IHC (Immunohistochemistry)

AAA327059 at 1/100 staining Human prostate tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the antibody for 1.5 hours at 22 degree C. An HRP conjugated goat anti-rabbit antibody was used as the secondary.



WB (Western Blot)

Western blot analysis of Hepg2 whole cell lysates, using MB Antibody. The lane on the left is treated with the antigen-specific peptide.

ADDITIONAL INFORMATION

Related Product Information for anti-MB antibody	Description: This gene encodes a member of the globin superfamily and is expressed in skeletal and cardiac muscles. The encoded protein is a haemoprotein contributing to intracellular oxygen storage and transcellular facilitated diffusion of oxygen. At least three alternatively spliced transcript variants encoding the same protein have been reported. Function: Serves as a reserve supply of oxygen and facilitates the movement of oxygen within muscles. Similarity: Belongs to the globin family.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	4885477
NCBI GeneID	4151
NCBI Accession #	NP_005359.1
NCBI GenBank Nucleotide #	NM_005368.2
UniProt Accession #	P02144; Q52H51; Q5THY7
Molecular Weight	Observed: 17 kDa Predicted: 18 kDa
NCBI Official Full Name	myoglobin
NCBI Official Synonym Full Names	myoglobin
NCBI Official Symbol	MB
NCBI Official Synonym Symbols	PVALB; myoglobgin
NCBI Protein Information	myoglobin
UniProt Protein Name	Myoglobin
UniProt Gene Name	MB

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/mb-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-western-blot-elisa/327059>