

Rabbit CTNND1 Polyclonal Antibody | anti-CTNND1 antibody

Phospho-CTNND1 (Tyr904) Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA329799	Rabbit	Human, Mouse Predicted Reactivity: Pig (100%), Bovine (100%), Horse (100%), Sheep (100%)	ELISA, Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Western Blot

PRODUCT SYNONYMS



CTNND1; Polyclonal Antibody; Phospho-CTNND1 (Tyr904) Antibody; Cadherin associated Src substrate; Cadherin-associated Src substrate; CAS; Catenin (cadherin associated protein) delta 1; Catenin delta 1; Catenin delta; Catenin delta-1; CTND1_HUMAN; CTNND 1; CTNND; KIAA0384; p120; P120 CAS; p120 catenin; P120 CTN; p120 (cas); p120 (ctn); P120CAS; P120CTN; anti-CTNND1 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse Predicted Reactivity: Pig (100%), Bovine (100%), Horse (100%), Sheep (100%)
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Phospho-CTNND1 (Tyr904) Antibody detects endogenous levels of CTNND1 only when phosphorylated at Tyr904. Tissue Specificity: Expressed in vascular endothelium. Melanocytes and melanoma cells primarily express the long isoform 1A, whereas keratinocytes express shorter isoforms, especially 3A. The shortest isoform 4A, is detected in normal keratinocytes and melanocytes, and generally lost from cells derived from squamous cell carcinomas or melanomas. The C-terminal alternatively spliced exon B is present in the p120ctn transcripts in the colon, intestine and prostate, but lost in several tumor tissues derived from these organs.
Purity/Purification	The antibody is from purified rabbit serum by affinity purification via sequential chromatography on phospho-peptide and non-phospho-peptide affinity columns.
Form/Format	Liquid. Rabbit IgG in phosphate buffered saline, pH7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	1mg/ml (varies by lot)
Applicable Applications for anti-CTNND1 antibody	ELISA (Peptide ELISA), ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	A synthesized peptide derived from human CTNND1 around the phosphorylation site of Tyr904.
Conjugation	Unconjugated
Fragment	Fab fragment
Post Translational Modifications	Phosphorylated by FER and other protein-tyrosine kinases. Phosphorylated at Ser-288 by PAK5. Dephosphorylated by PTPRJ.
Subunit Structure	Belongs to a multiprotein cell-cell adhesion complex that also contains E-cadherin/CDH1, alpha-catenin/CTNNA1, beta-catenin/CTNNB1, and gamma-catenin/JUP. Component of a cadherin:catenin adhesion complex composed of at least of CDH26, beta-catenin/CTNNB1, alpha-catenin/CTNNA1 and p120 catenin/CTNND1. Binds to the C-terminal fragment of PSEN1 and mutually competes for CDH1. Interacts with ZBTB33. Interacts with GLIS2. Interacts with FER. Interacts with NANOS1 (via N-terminal region). Interacts (via N-terminus) with GNA12; the interaction regulates CDH1-mediated cell-cell adhesion. Interacts with GNA13. Interacts with CCDC85B. Interacts with PLPP3; negatively regulates the PLPP3-mediated stabilization of CTNNB1.
Similarity	A possible nuclear localization signal exists in all isoforms where Asp-626--631-Arg are deleted.ARM repeats 1 to 5 mediate interaction with cadherins.Belongs to the beta-catenin family.


Subcellular Location	Cell junction>Adherens junction. Cytoplasm. Nucleus. Cell membrane. Note: Interaction with GLIS2 promotes nuclear translocation (By similarity). Detected at cell-cell contacts (PubMed:15240885, PubMed:17047063). NANOS1 induces its translocation from sites of cell-cell contact to the cytoplasm (PubMed:17047063). CDH1 enhances cell membrane localization (PubMed:15240885). Isoforms 4A and 1AB are excluded from the nucleus (PubMed:11896187).Nucleus. Nucleus. Nucleus.
Preparation and Storage	Store at -20 degree C. Stable for 12 months from date of receipt.

IMAGES




Application Data
 At 25 degree C. The primary antibody was diluted at 1/200 and incubated with the sample for 1 hour at 37 degree C. An Alexa Fluor 594 conjugated goat anti-rabbit IgG (H+L) Ab, diluted at 1/600, was used as the secondary antibody.

IHC (Immunohistochemisry)
 At 1/100 staining Mouse colorectal tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the primary antibody at 4 degree C overnight. An HRP conjugated anti-Rabbit antibody was used as the secondary antibody.



WB (Western Blot)
 Western blot analysis of CTNND1 (Phospho-Tyr904) using IL PMA treated NIH-3T3 whole cell lysates.-/+ means absence or presence of N peptide;N=non-phospho peptide) and P peptide(phospho peptide).



WB (Western Blot)
 Western blot analysis of extracts from various samples, using Phospho-CTNND1 (Tyr904) Antibody.Lane 1: Hela cells(serum starvation treatment), blocked with antigen-specific peptides,Lane 2: Hela cells(serum starvation treatment),Lane 3: HepG2 cells(heat shock treatment).

ADDITIONAL INFORMATION

Related Product Information for anti-CTNND1 antibody	Key regulator of cell-cell adhesion that associates with and regulates the cell adhesion properties of both C-, E- and N-cadherins, being critical for their surface stability. Beside cell-cell adhesion, regulates gene transcription through several transcription factors including ZBTB33/Kaiso2 and GLIS2, and the activity of Rho family GTPases and downstream cytoskeletal dynamics. Implicated both in cell transformation by SRC and in ligand-induced receptor signaling through the EGF, PDGF, CSF-1 and ERBB2 receptors.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	146231940
NCBI GeneID	1500

NCBI Accession #	NP_001078927.1
NCBI GenBank Nucleotide #	NM_001085458.1
UniProt Accession #	O60716; O15088; O60713; O60714; O60715; O60935; Q6DHz7; Q6RBX8; Q9UP71; Q9UP72; Q9UP73; A8K939
Molecular Weight	108,170 Da
NCBI Official Full Name	catenin delta-1 isoform 1ABC
NCBI Official Synonym Full Names	catenin (cadherin-associated protein), delta 1
NCBI Official Symbol	CTNND1
NCBI Official Synonym Symbols	CAS; p120; CTNND; P120CAS; P120CTN; p120(CAS); p120(CTN)
NCBI Protein Information	catenin delta-1; p120 catenin; cadherin-associated Src substrate
UniProt Protein Name	Catenin delta-1
UniProt Gene Name	CTNND1
UniProt Synonym Gene Names	KIAA0384; CAS; p120(ctn)
UniProt Entry Name	CTND1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/ctnnd1-antibody-peptide-elisa-immunocytochemistry-immunofluorescence-immunohistochemistry-western-blot-elisa/329799>