

Mouse Transgelin-2 (TAGLN2) ELISA Kit | TAGLN2 elisa kit

Mouse Transgelin-2 (TAGLN2) ELISA Kit

CATALOG #
AAA332338

REACTIVITY
Mouse


PRODUCT SYNONYMS

Transgelin-2 (TAGLN2); Mouse Transgelin-2 (TAGLN2) ELISA Kit; TAGLN2; RP11-48O20.1; HA1756; KIAA0120; OTTHUMP00000024409; SM22-alpha homolog; TAGLN2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	Mouse Transgelin-2 (TAGLN2) ELISA Kit has high sensitivity and excellent specificity for detection of Mouse TAGLN2. No significant cross-reactivity or interference between Mouse TAGLN2 and analogues was observed.
Sequence Length	199
Assay Type	Sandwich ELISA (Quantitative)
Samples	Cell Culture Supernatants, Serum, Plasma, Other Biological Fluids
Detection Method	Colorimetric
Usage Notes	* Do not mix components from different kit lots or use reagents beyond the kit expiration date. * Allow all reagents to warm to room temperature for at least 30 minutes before opening. * Pre-rinse the pipet tip with reagent, use fresh pipet tips for each sample, standard and reagent to avoid contamination. * Unused wells must be kept desiccated at 4 degree C in the sealed bag provided. * Mix Thoroughly is very important for the result. It is recommended using low frequency oscillator or slight hand shaking every 10 minutes. * It is recommended that all samples and standards be assayed in duplicate or triplicate.
Preparation and Storage	Store at 2-8 degree C.

IMAGES



Standard Curve (Sample)

Fig.1. Mouse Transgelin-2 (TAGLN2) Standard Curve.

ADDITIONAL INFORMATION

Related Product Information for TAGLN2 elisa kit	Description: This Mouse Transgelin-2 (TAGLN2) ELISA Kit employs a two-site sandwich ELISA to quantitate TAGLN2 in samples. An antibody specific for TAGLN2 has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any TAGLN2 present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for TAGLN2 is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of TAGLN2 bound in the initial step. The color development is stopped and the intensity of the color is measured. Background: The protein encoded by TAGLN2 is similar to the protein transgelin, which is one of the earliest markers of differentiated smooth muscle. The specific function of this protein has not yet been determined, although it is thought to be a tumor suppressor. Multiple transcript variants encoding different isoforms have been found for TAGLN2.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	30519911
NCBI GeneID	21346
NCBI Accession #	NP_848713.1
NCBI GenBank Nucleotide #	NP_848713.1
UniProt Accession #	Q9WVA4
NCBI Official Full Name	transgelin-2
NCBI Official Synonym Full Names	transgelin 2
NCBI Official Symbol	Tagln2
NCBI Official Synonym Symbols	Sm22B; Sm22a; SM22beta; 2700094C18Rik
NCBI Protein Information	transgelin-2
UniProt Protein Name	Transgelin-2
UniProt Gene Name	Tagln2
UniProt Synonym Gene Names	Kiaa0120
UniProt Entry Name	TAGL2_MOUSE

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.