

Mouse Transforming Growth Factor beta3 (TGF-beta3) ELISA Kit | TGF-beta3 elisa kit

Mouse Transforming Growth Factor beta3 (TGF-beta3) ELISA Kit

CATALOG #
AAA332379

REACTIVITY
Mouse


PRODUCT SYNONYMS

Transforming Growth Factor beta3 (TGF-beta3); Mouse Transforming Growth Factor beta3 (TGF-beta3) ELISA Kit; TGFB3; ARVD; FLJ16571; TGF-beta3; TGF-beta3 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	Mouse Transforming growth factor beta3 (TGF-beta3) ELISA Kit has high sensitivity and excellent specificity for detection of Mouse TGFB3. No significant cross-reactivity or interference between Mouse TGFB3 and analogues was observed.
Sequence Length	410
Assay Type	Sandwich ELISA (Quantitative)
Samples	Cell Culture Supernatants, Serum, Plasma, Other Biological Fluids
Detection Method	Colorimetric
Usage Notes	* Do not mix components from different kit lots or use reagents beyond the kit expiration date. * Allow all reagents to warm to room temperature for at least 30 minutes before opening. * Pre-rinse the pipet tip with reagent, use fresh pipet tips for each sample, standard and reagent to avoid contamination. * Unused wells must be kept desiccated at 4 degree C in the sealed bag provided. * Mix Thoroughly is very important for the result. It is recommended using low frequency oscillator or slight hand shaking every 10 minutes. * It is recommended that all samples and standards be assayed in duplicate or triplicate.
Preparation and Storage	Store at 2-8 degree C.

IMAGES



Standard Curve (Sample)

Fig.1. Mouse Transforming growth factor beta3 (TGF-beta3) Standard Curve.

ADDITIONAL INFORMATION

Related Product Information for TGF-beta3 elisa kit	Description: This Mouse Transforming growth factor beta3 (TGF-beta3) ELISA Kit employs a two-site sandwich ELISA to quantitate TGFB3 in samples. An antibody specific for TGFB3 has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any TGFB3 present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for TGFB3 is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of TGFB3 bound in the initial step. The color development is stopped and the intensity of the color is measured. Background: TGF-beta3 can induce cell proliferation and angiogenesis, and can promote some immune events while inhibiting others. TGF-beta3 is produced by chondrocytes, glial cells, astrocytes and some cancer cells. TGF-beta3 binds to TbetaRII homodimer, which then complexes with TbetaRI homodimer. The oligomeric receptor complex phosphorylates subsets of SMAD proteins that then act to induce or suppress target genes. Based on knock-out studies in mice, TGF-beta3 is critical for lung and palate development.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	135685
NCBI GeneID	21809
UniProt Accession #	P17125
NCBI Official Full Name	Transforming growth factor beta-3 proprotein
NCBI Official Synonym Full Names	transforming growth factor, beta 3
NCBI Official Symbol	Tgfb3
NCBI Official Synonym Symbols	Tgfb-3; TGF-beta-3
NCBI Protein Information	transforming growth factor beta-3 proprotein
UniProt Protein Name	Transforming growth factor beta-3
UniProt Gene Name	Tgfb3
UniProt Synonym Gene Names	TGF-beta-3; LAP
UniProt Entry Name	TGFB3_MOUSE

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-elisa-kits/transforming-growth-factor-beta3-tgf-beta3/332379>