

Mouse Negative Elongation Factor C/D (TH1L) ELISA Kit | NELF-C elisa kit

Mouse Negative Elongation Factor C/D (TH1L) ELISA Kit

CATALOG #
AAA332386

REACTIVITY
Mouse


PRODUCT SYNONYMS

Negative Elongation Factor C/D (TH1L); Mouse Negative Elongation Factor C/D (TH1L) ELISA Kit; TH1L; HSPC130; NELF-D; TH1; TH1 drosophila homolog; TH1-like protein; negative elongation factor proteins C and D; trihydrophobin 1; NELF-C elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	Mouse Negative elongation factor C/D (TH1L) ELISA Kit has high sensitivity and excellent specificity for detection of Mouse TH1L. No significant cross-reactivity or interference between Mouse TH1L and analogues was observed.
Sequence Length	591
Assay Type	Sandwich ELISA (Quantitative)
Samples	Cell Culture Supernatants, Serum, Plasma, Other Biological Fluids
Detection Method	Colorimetric
Usage Notes	* Do not mix components from different kit lots or use reagents beyond the kit expiration date. * Allow all reagents to warm to room temperature for at least 30 minutes before opening. * Pre-rinse the pipet tip with reagent, use fresh pipet tips for each sample, standard and reagent to avoid contamination. * Unused wells must be kept desiccated at 4 degree C in the sealed bag provided. * Mix Thoroughly is very important for the result. It is recommended using low frequency oscillator or slight hand shaking every 10 minutes. * It is recommended that all samples and standards be assayed in duplicate or triplicate.
Preparation and Storage	Store at 2-8 degree C.

IMAGES



Standard Curve (Sample)

Fig.1. Mouse Negative elongation factor C/D (TH1L) Standard Curve.

ADDITIONAL INFORMATION

Related Product Information for NELF-C elisa kit	Description: This Mouse Negative elongation factor C/D (TH1L) ELISA Kit employs a two-site sandwich ELISA to quantitate TH1L in samples. An antibody specific for TH1L has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any TH1L present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for TH1L is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of TH1L bound in the initial step. The color development is stopped and the intensity of the color is measured. Background: The NELF complex of proteins interacts with the DSIF protein complex to repress transcriptional elongation by RNA polymerase II. The protein encoded by TH1L is an essential part of the NELF complex. Alternative translation initiation site usage results in the formation of two isoforms with different N-termini.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	91982765
NCBI GeneID	57314
NCBI Accession #	NP_065605.2
NCBI GenBank Nucleotide #	NP_065605.2
UniProt Accession #	Q922L6
NCBI Official Full Name	negative elongation factor D
NCBI Official Synonym Full Names	negative elongation factor complex member C/D, Th1l
NCBI Official Symbol	Nelfcd
NCBI Official Synonym Symbols	Th1; Th1l; C77797; 2410003I03Rik
NCBI Protein Information	negative elongation factor D
UniProt Protein Name	Negative elongation factor D
UniProt Gene Name	Nelfcd
UniProt Synonym Gene Names	Nelfd; Th1; Th1l; NELF-D
UniProt Entry Name	NELFD_MOUSE

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/nelf-c-mouse-elisa-kits/negative-elongation-factor-c-d-th1l/332386>