

Rabbit anti-Human PRKAR1A Polyclonal Antibody | anti-PRKAR1A antibody

PRKAR1A Polyclonal Antibody

CATALOG # AAA36653	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunofluorescence, Immunohistochemistry, Western Blot
------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

PRKAR1A; Polyclonal Antibody; PRKAR1A Polyclonal Antibody; CAR; CNC; CNC1; DKFZp779L0468; MGC17251; PKR1; PPNAD1; PRKAR1; TSE1; anti-PRKAR1A antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Form/Format	PBS with 0.09% Sodium azide, 50% glycerol, pH7.3.
Concentration	1mg/ml (varies by lot)
Sequence Length	381
Applicable Applications for anti-PRKAR1A antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Species	Human
Immunogen	Recombinant Protein
Immunogen	Recombinant protein of human PRKAR1A
Calculated Molecular Weight	43kDa
Preparation and Storage	Store at -20 degree C (regular) or -80 degree C (long term). Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

IMAGES



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human oophoroma using PRKAR1A antibody at dilution of 1:100 (40x lens).



WB (Western Blot)

Western blot analysis of extracts of various cell lines, using PRKAR1A antibody at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST.

ADDITIONAL INFORMATION

Related Product Information for anti-PRKAR1A antibody	The second messenger cyclic AMP (cAMP) activates cAMP-dependent protein kinase (PKA or cAPK) in mammalian cells and controls many cellular mechanisms such as gene transcription, ion transport, and protein phosphorylation (1). Inactive PKA is a heterotetramer composed of a regulatory subunit (R) dimer and a catalytic subunit (C) dimer. In this inactive state, the pseudosubstrate sequences on the R subunits block the active sites on the C subunits. Three C subunit isoforms (C-alpha, C-beta, and C-gamma) and two families of regulatory subunits (RI and RII) with distinct cAMP binding properties have been identified. The two R families exist in two isoforms, alpha and beta (RI-alpha, RI-beta, RII-alpha, and RII-beta). Upon binding of cAMP to the R subunits, the autoinhibitory contact is eased and active monomeric C subunits are released. PKA shares substrate specificity with Akt (PKB) and PKC, which are characterized by an arginine at position -3 relative to the phosphorylated serine or threonine residue (2). Substrates that present this consensus sequence and have been shown to be phosphorylated by PKA are Bad (Ser155), CREB (Ser133), and GSK-3 (GSK-3alpha Ser21 and GSK-3beta Ser9) (3-5). In addition, combined knock-down of PKA C-alpha and -beta blocks cAMP-mediated phosphorylation of Raf (Ser43 and Ser259) (6). Autophosphorylation and phosphorylation by PDK-1 are two known mechanisms responsible for phosphorylation of the C subunit at Thr197 (7).
Product Categories/Family for anti-PRKAR1A antibody	Polyclonal

NCBI AND UNIPROT INFORMATION

NCBI GI #	125193
NCBI GeneID	5573
UniProt Accession #	P10644; Q567S7; K7ER48
Molecular Weight	381
NCBI Official Full Name	cAMP-dependent protein kinase type I-alpha regulatory subunit
NCBI Official Synonym Full Names	protein kinase, cAMP-dependent, regulatory, type I, alpha
NCBI Official Symbol	PRKAR1A
NCBI Official Synonym Symbols	CAR; CNC; CNC1; PKR1; TSE1; ADOHR; PPNAD1; PRKAR1; ACRDYS1
NCBI Protein Information	cAMP-dependent protein kinase type I-alpha regulatory subunit; Carney complex type 1; tissue-specific extinguisher 1; protein kinase A type 1a regulatory subunit; cAMP-dependent protein kinase regulatory subunit R1alpha; cAMP-dependent protein kinase type I-alpha regulatory chain
UniProt Protein Name	cAMP-dependent protein kinase type I-alpha regulatory subunit
UniProt Gene Name	PRKAR1A
UniProt Synonym Gene Names	PKR1; PRKAR1; TSE1; TSE1
UniProt Entry Name	KAP0_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/prkar1a-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/36653>