

Rabbit anti-Human CHEK1-S317 Antibody | anti-CHEK1 antibody

Phospho-CHEK1-S317 Polyclonal Antibody

CATALOG # AAA36720	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunofluorescence, Western Blot
------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

CHEK1-S317; Phospho-CHEK1-S317 Polyclonal Antibody; Phospho-CHEK1-S317: CHK1; anti-CHEK1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Isotype	IgG
Purity/Purification	Affinity Purification
Form/Format	PBS with 0.09% Sodium azide, 50% glycerol, pH7.3.
Concentration	1mg/ml (varies by lot)
Sequence Length	476
Applicable Applications for anti-CHEK1 antibody	IF (Immunofluorescence), WB (Western Blot)
Species	Human
Route	Synthetic Peptide
Immunogen	A phospho specific peptide corresponding to residues surrounding S317 of human CHEK1
Calculated Molecular Weight	54kDa
Preparation and Storage	Store at -20 degree C (regular) or -80 degree C (long term). Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

IMAGES




IF (Immunofluorescence)

Immunofluorescence analysis of U2OS cells using Phospho-CHEK1-S317 antibody. Blue: DAPI for nuclear staining.



IF (Immunofluorescence)

Immunofluorescence analysis of MCF-7 cells using Phospho-CHEK1-S317 antibody. Blue: DAPI for nuclear staining.



WB (Western Blot)

Western blot analysis of extracts of MCF7 cell line, using Phospho-CHEK1-S317 antibody. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% BSA.

ADDITIONAL INFORMATION

Related Product Information for anti-CHEK1 antibody	The protein encoded by this gene belongs to the Ser/Thr protein kinase family. It is required for checkpoint mediated cell cycle arrest in response to DNA damage or the presence of unreplicated DNA. This protein acts to integrate signals from ATM and ATR, two cell cycle proteins involved in DNA damage responses, that also associate with chromatin in meiotic prophase I. Phosphorylation of CDC25A protein phosphatase by this protein is required for cells to delay cell cycle progression in response to double-strand DNA breaks. Several alternatively spliced transcript variants have been found for this gene.
Product Categories/Family for anti-CHEK1 antibody	Phosphorylation

NCBI AND UNIPROT INFORMATION

NCBI GI #	317373343
NCBI GeneID	1111
UniProt Accession #	O14757; A8K934; B4DDD0; B4DSK3; B5BTY6; F5H7S4; H2BI51
Molecular Weight	476
NCBI Official Full Name	Serine/threonine-protein kinase Chk1
NCBI Official Synonym Full Names	checkpoint kinase 1
NCBI Official Symbol	CHEK1
NCBI Official Synonym Symbols	CHK1
NCBI Protein Information	serine/threonine-protein kinase Chk1; Chk1-S; checkpoint kinase-1; CHK1 checkpoint homolog; cell cycle checkpoint kinase; Checkpoint, S. pombe, homolog of, 1
UniProt Protein Name	Serine/threonine-protein kinase Chk1
UniProt Gene Name	CHEK1
UniProt Synonym Gene Names	CHK1
UniProt Entry Name	CHK1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.