

Rabbit anti-Human, Mouse PPBP Polyclonal Antibody | anti-PPBP antibody

PPBP Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA37008	Rabbit	Human, Mouse	Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

PPBP; Polyclonal Antibody; PPBP Polyclonal Antibody; PBP; TC1; TC2; TGB; LDGF; MDGF; TGB1; B-TG1; CTAP3; CXCL7; NAP-2; SCYB7; THBGB; LA-PF4; SCAR10; THBGB1; Beta-TG; CTAPIII; CTAP-III; anti-PPBP antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Concentration	1mg/ml (varies by lot)
Sequence Length	128
Applicable Applications for anti-PPBP antibody	IHC (Immunohistochemistry), WB (Western Blot)
Species	Human
Immunogen	Recombinant Protein
Immunogen	Recombinant protein of human PPBP
Calculated Molecular Weight	14kDa
Preparation and Storage	Store at -20 degree C (regular) or -80 degree C (long term). Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

IMAGES



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded human liver cancer using PPBP antibody at dilution of 1:100 (40x lens).



WB (Western Blot)
Western blot analysis of extracts of human serum, using PPBP antibody at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 5min.

ADDITIONAL INFORMATION

Related Product Information for anti-PPBP antibody	The protein encoded by this gene is a platelet-derived growth factor that belongs to the CXC chemokine family. This growth factor is a potent chemoattractant and activator of neutrophils. It has been shown to stimulate various cellular processes including DNA synthesis, mitosis, glycolysis, intracellular cAMP accumulation, prostaglandin E2 secretion, and synthesis of hyaluronic acid and sulfated glycosaminoglycan. It also stimulates the formation and secretion of plasminogen activator by synovial cells. [provided by RefSeq, May 2010]
Product Categories/Family for anti-PPBP antibody	Polyclonal

NCBI AND UNIPROT INFORMATION

NCBI GI #	129874
NCBI GeneID	5473
UniProt Accession #	P02775; Q6IBJ8; B2R5F3; AAB46877
Molecular Weight	128
NCBI Official Full Name	Platelet basic protein
NCBI Official Synonym Full Names	pro-platelet basic protein (chemokine (C-X-C motif) ligand 7)
NCBI Official Symbol	PPBP
NCBI Official Synonym Symbols	PBP; TC1; TC2; TGB; LDGF; MDGF; TGB1; B-TG1; CTAP3; CXCL7; NAP-2; SCYB7; THBGB; LA-PF4; THBGB1; Beta-TG; CTAPIII; CTAP-III
NCBI Protein Information	platelet basic protein; thrombocidin 1; thrombocidin 2; beta-thromboglobulin; CXC chemokine ligand 7; C-X-C motif chemokine 7; thromboglobulin, beta-1; small inducible cytokine B7; small-inducible cytokine B7; leukocyte-derived growth factor; low-affinity platelet factor IV; neutrophil-activating peptide 2; neutrophil-activating peptide-2; macrophage-derived growth factor; connective tissue-activating peptide III; small inducible cytokine subfamily B, member 7
UniProt Protein Name	Platelet basic protein
UniProt Gene Name	PPBP
UniProt Synonym Gene Names	CTAP3; CXCL7; SCYB7; TGB1; THBGB1; PBP; LDGF; MDGF; CTAP-III; CTAP-III(1-81); Beta-TG; NAP-2(74); NAP-2(73); NAP-2; NAP-2(1-66); NAP-2(1-63)
UniProt Entry Name	CXCL7_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/ppbp-antibody-immunohistochemistry-western-blot-elisa/37008>