

Rabbit ANGPT2 Polyclonal Antibody | anti-ANGPT2 antibody

ANGPT2 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA37160	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

ANGPT2; Polyclonal Antibody; ANGPT2 Polyclonal Antibody; ANG-2; ANG2; AGPT2; Angiopoietin-2; anti-ANGPT2 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Concentration	1mg/ml (varies by lot)
Sequence Length	496
Applicable Applications for anti-ANGPT2 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Species	Human
Immunogen	Recombinant Protein
Immunogen	Recombinant protein of human ANGPT2
Calculated Molecular Weight	57kDa
Preparation and Storage	Store at -20 degree C (regular) or -80 degree C (long term). Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

IMAGES



IF (Immunofluorescence)
Immunofluorescence analysis of HeLa cells using ANGPT2 antibody. Blue: DAPI for nuclear staining.



WB (Western Blot)
Western blot analysis of extracts of various cell lines, using ANGPT2 antibody at 1:3000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 5s.

ADDITIONAL INFORMATION

Related Product Information for anti-ANGPT2 antibody	Angiopoietins are a family of Tie receptor ligands. There are four angiopoietins discovered so far: angiopoietins 1, 2, 3 and 4 (Ang1, 2, 3, and 4) (1-3). Ang1 binds to the Tie-2 receptor and leads to its autophosphorylation and subsequent activation of downstream signaling pathways. It plays an important role in blood vessel formation, maturation and subsequent stabilization (1,4,5). Ang2 is an endothelium-specific growth factor that functions as an antagonist to Ang1, promotes vascular associated proinflammatory function, destabilizes quiescent endothelium, leads to vascular leakage and vascular destabilization and remodeling (2,6,7). Ang2 is selectively expressed in many tumor tissues where, combined with other growth factors such as VEGF, it can promote vascular remodeling, angiogenesis and inflammation (7-9).
Product Categories/Family for anti-ANGPT2 antibody	Polyclonal

NCBI AND UNIPROT INFORMATION

NCBI GI #	12229555
NCBI GeneID	285
UniProt Accession #	O15123; Q9NRR7; Q9P2Y7; A0AV38; A8K205; B7ZLM7
Molecular Weight	496
NCBI Official Full Name	Angiopoietin-2
NCBI Official Synonym Full Names	angiopoietin 2
NCBI Official Symbol	ANGPT2
NCBI Official Synonym Symbols	ANG2; AGPT2
NCBI Protein Information	angiopoietin-2; ANG-2; Tie2-ligand; angiopoietin-2B; angiopoietin-2a
UniProt Protein Name	Angiopoietin-2
UniProt Gene Name	ANGPT2
UniProt Synonym Gene Names	ANG-2
UniProt Entry Name	ANGP2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/angpt2-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/37160>