

Rabbit MAX Polyclonal Antibody | anti-MAX antibody

MAX Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA37315	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

MAX; Polyclonal Antibody; MAX Polyclonal Antibody; MGC10775; MGC11225; MGC18164; MGC34679; MGC36767; bHLHd4; bHLHd5; bHLHd6; bHLHd7; bHLHd8; orf1; anti-MAX antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Concentration	1mg/ml (varies by lot)
Sequence Length	160
Applicable Applications for anti-MAX antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Species	Human
Immunogen	Recombinant Protein
Immunogen	Recombinant protein of human MAX
Calculated Molecular Weight	18kDa
Preparation and Storage	Store at -20 degree C (regular) or -80 degree C (long term). Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

IMAGES




IF (Immunofluorescence)

Immunofluorescence analysis of U2OS cells using MAX antibody. Blue: DAPI for nuclear staining.




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded mouse brain using MAX antibody at dilution of 1:200 (40x lens).



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded rat brain using MAX antibody at dilution of 1:200 (40x lens).



WB (Western Blot)

Western blot analysis of extracts of MCF-7 cells, using MAX antibody at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST.

ADDITIONAL INFORMATION

Related Product Information for anti-MAX antibody

Members of the Myc/Max/Mad network function as transcriptional regulators with roles in various aspects of cell behavior including proliferation, differentiation and apoptosis (1). These proteins share a common basic-helix-loop-helix leucine zipper (bHLH-ZIP) motif required for dimerization and DNA-binding. Max was originally discovered based on its ability to associate with c-Myc and found to be required for the ability of Myc to bind DNA and activate transcription (2). Subsequently, Max has been viewed as a central component of the transcriptional network, forming homodimers as well as heterodimers with other members of the Myc and Mad families (1). The association between Max and either Myc or Mad can have opposing effects on transcriptional regulation and cell behavior (1). The Mad family consists of four related proteins; Mad1, Mad2 (Mxi1), Mad3 and Mad4, and the more distantly related members of the bHLH-ZIP family, Mnt and Mga. Like Myc, the Mad proteins are tightly regulated with short half-lives. In general, Mad family members interfere with Myc-mediated processes such as proliferation, transformation and prevention of apoptosis by inhibiting transcription (3,4).

Product Categories/Family for anti-MAX antibody

Polyclonal

NCBI AND UNIPROT INFORMATION

NCBI GI #	47117704
NCBI GeneID	4149
UniProt Accession #	P61244; P25912; P52163; Q14803; Q96CY8; A6NH73; A8K265; A8K4G4; A8K824
Molecular Weight	160
NCBI Official Full Name	Protein max
NCBI Official Synonym Full Names	MYC associated factor X
NCBI Official Symbol	MAX
NCBI Official Synonym Symbols	bHLHd4
NCBI Protein Information	protein max; class D basic helix-loop-helix protein 4
UniProt Protein Name	Protein max
UniProt Gene Name	MAX
UniProt Synonym Gene Names	BHLHD4; bHLHD4
UniProt Entry Name	MAX_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/max-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/37315>