

Rabbit OGG1 Polyclonal Antibody | anti-OGG1 antibody

OGG1 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA37325	Rabbit	Human, Mouse, Rat	Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

OGG1; Polyclonal Antibody; OGG1 Polyclonal Antibody; HMMH; MUTM; OGH1; HOGG1; anti-OGG1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Concentration	1mg/ml (varies by lot)
Sequence Length	345
Applicable Applications for anti-OGG1 antibody	IHC (Immunohistochemistry), WB (Western Blot)
Species	Human
Immunogen	Recombinant Protein
Immunogen	Recombinant protein of human OGG1
Calculated Molecular Weight	39kDa
Preparation and Storage	Store at -20 degree C (regular) or -80 degree C (long term). Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

IMAGES



IHC (Immunohiostchemistry)
Immunohistochemistry of paraffin-embedded mouse brain using OGG1 antibody at dilution of 1:200 (40x lens).



WB (Western Blot)
Western blot analysis of extracts of various cell lines, using OGG1 antibody at 1:1000 dilution.Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution.Lysates/proteins: 25ug per lane.Blocking buffer: 3% nonfat dry milk in TBST.Detection: ECL Basic Kit.Exposure time: 90s.

ADDITIONAL INFORMATION

Related Product Information for anti-OGG1 antibody	This gene encodes the enzyme responsible for the excision of 8-oxoguanine, a mutagenic base byproduct which occurs as a result of exposure to reactive oxygen. The action of this enzyme includes lyase activity for chain cleavage. Alternative splicing of the C-terminal region of this gene classifies splice variants into two major groups, type 1 and type 2, depending on the last exon of the sequence. Type 1 alternative splice variants end with exon 7 and type 2 end with exon 8. All variants share the N-terminal region in common, which contains a mitochondrial targeting signal that is essential for mitochondrial localization. Many alternative splice variants for this gene have been described, but the full-length nature for every variant has not been determined. [provided by RefSeq, Aug 2008]
Product Categories/Family for anti-OGG1 antibody	Polyclonal

NCBI AND UNIPROT INFORMATION

NCBI GI #	12643548
NCBI GeneID	4968
UniProt Accession #	O15527; O00390; O00670; O00705; O14876; O95488; P78554; Q9BW42; Q9UIK0; Q9UIK1; Q9UIK2; A8K1E3
Molecular Weight	345
NCBI Official Full Name	N-glycosylase/DNA lyase
NCBI Official Synonym Full Names	8-oxoguanine DNA glycosylase
NCBI Official Symbol	OGG1
NCBI Official Synonym Symbols	HMMH; MUTM; OGH1; HOGG1
NCBI Protein Information	N-glycosylase/DNA lyase; AP lyase; OGG1 type 1f; 8-hydroxyguanine DNA glycosylase; DNA-apurinic or apyrimidinic site lyase
UniProt Protein Name	N-glycosylase/DNA lyase
UniProt Gene Name	OGG1
UniProt Synonym Gene Names	MMH; MUTM; OGH1; AP lyase
UniProt Entry Name	OGG1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/ogg1-antibody-immunohistochemistry-western-blot-elisa/37325>