

Rabbit EIF3C Polyclonal Antibody | anti-EIF3C antibody

EIF3C Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA37575	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

EIF3C; Polyclonal Antibody; EIF3C Polyclonal Antibody; EIF3CL; EIF3S8; eIF3-p110; anti-EIF3C antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Concentration	1mg/ml (varies by lot)
Sequence Length	913
Applicable Applications for anti-EIF3C antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Species	Human
Immunogen	Recombinant Protein
Immunogen	Recombinant protein of human EIF3C
Calculated Molecular Weight	105kDa
Preparation and Storage	Store at -20 degree C (regular) or -80 degree C (long term). Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.


IMAGES


IF (Immunofluorescence)

Immunofluorescence analysis of U2OS cells using EIF3C antibody. Blue: DAPI for nuclear staining.



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded mouse brain using EIF3C Antibody at dilution of 1:100 (40x lens).




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded mouse intestine using EIF3C Antibody at dilution of 1:100 (40x lens).



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded rat brain using EIF3C Antibody at dilution of 1:100 (40x lens).



WB (Western Blot)

Western blot analysis of extracts of various cell lines, using EIF3C antibody at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 30s.

ADDITIONAL INFORMATION

Product Categories/Family for anti-EIF3C antibody	Polyclonal
---	------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	6685539
NCBI GeneID	8663
UniProt Accession #	Q99613; O00215; Q9BW98; A8K7Z0; B2RXG3; B4E1D5; H3BRV0
Molecular Weight	913
NCBI Official Full Name	Eukaryotic translation initiation factor 3 subunit C
NCBI Official Synonym Full Names	eukaryotic translation initiation factor 3, subunit C
NCBI Official Symbol	EIF3C
NCBI Official Synonym Symbols	EIF3CL; EIF3S8; eIF3-p110
NCBI Protein Information	eukaryotic translation initiation factor 3 subunit C; EIF3C; eIF3 p110; cell migration-inducing protein 17; eukaryotic translation initiation factor 3 subunit 8; eukaryotic translation initiation factor 3, subunit 8 (110kD); eukaryotic translation initiation factor 3, subunit 8, 110kDa
UniProt Protein Name	Eukaryotic translation initiation factor 3 subunit C

UniProt Gene Name	EIF3C
UniProt Entry Name	EIF3C_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/eif3c-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/37575>