

Rabbit NogoA Polyclonal Antibody | anti-RTN4 antibody

NogoA Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA40290	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot, ELISA


PRODUCT SYNONYMS

NogoA; Polyclonal Antibody; NogoA Antibody; ASY; NSP; NOGO; NOGOC; RTN-X; NOGO-A; NSP-CL; Nogo-B; Nogo-C; RTN4-A; RTN4-C; RTN4-B1; RTN4-B2; NI220/250; Nbla00271; Nbla10545; KIAA0886; My043; SP1507; Reticulon-4; Foccen; Nogo protein; reticulon 4; anti-RTN4 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Specificity	At least five isoforms of Nogo are known to exist; this antibody is specific for NogoA.
Purity/Purification	NogoA Antibody is affinity chromatography purified via peptide column.
Form/Format	Liquid
Concentration	1 mg/mL (varies by lot)
Sequence Length	1192
Applicable Applications for anti-RTN4 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot), ELISA
Conjugate	Unconjugated
Immunogen	NogoA antibody was raised against a 23 amino acid synthetic peptide from near the amino terminus of human NogoA.
Buffer	NogoA Antibody is supplied in PBS containing 0.02% sodium azide.
Preparation and Storage	NogoA antibody can be stored at 4 degree C for three months and -20 degree C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.


IMAGES



IF (Immunofluorescence)
Immunofluorescence of NogoA in Mouse Brain cells with NogoA antibody at 20 μ g/mL.



IHC (Immunohistochemistry)
Immunohistochemistry of NogoA in mouse brain tissue with NogoA antibody at 2.5 μ g/mL.



WB (Western Blot)
Western blot analysis of NogoA in mouse brain tissue lysate with NogoA antibody at (A) 0.5 and (B) 1 μ g/mL.

ADDITIONAL INFORMATION

Related Product Information for anti-RTN4 antibody	NogoA Antibody: NogoA is a member of a family of integral membrane proteins termed reticulons that are thought to be involved in numerous disorders including neurodegenerative diseases. Reticulon proteins are known to regulate many cellular processes and interact with multiple proteins and receptors such as BACE. NogoA was initially identified as a myelin-associated neurite outgrowth inhibitor. It is highly expressed in oligodendrocytes in the white matter of the CNS; blocking its activity with antibodies or other factors results in improved axon regrowth and functional recovery in experimental CNS lesion models. NogoA has also been suggested to play a role in neurodegenerative diseases such as Amyotrophic lateral sclerosis, in which case NogoA is found at elevated levels in postmortem muscular samples, and multiple sclerosis (MS), in which case autoantibodies to NogoA have been found in serum and cerebrospinal fluid in MS patients.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	24431935
NCBI GeneID	57142
NCBI Accession #	NP_065393
NCBI GenBank Nucleotide #	NM_020532.4
UniProt Accession #	Q9NQC3; O94962; Q7L7Q5; Q7L7Q6; Q7L7Q8; Q8IUA4; Q96B16; Q9BXG5; Q9H212; Q9H3I3; Q9UQ42; Q9Y293
Molecular Weight	108,450 Da
NCBI Official Full Name	reticulon-4 isoform A

NCBI Official Synonym Full Names	reticulon 4
NCBI Official Symbol	RTN4
NCBI Official Synonym Symbols	ASY; NSP; NOGO; NOGOC; RTN-X; NOGO-A; NSP-CL; Nogo-B; Nogo-C; RTN4-A; RTN4-C; RTN4-B1; RTN4-B2; NI220/250; Nbla00271; Nbla10545
NCBI Protein Information	reticulon-4; foocen; Human NogoA; reticulon 5; My043 protein; neurite outgrowth inhibitor; neurite growth inhibitor 220; neuroendocrine-specific protein C homolog
UniProt Protein Name	Reticulon-4
UniProt Gene Name	RTN4
UniProt Synonym Gene Names	KIAA0886; NOGO; Nogo protein; NSP
UniProt Entry Name	RTN4_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/nogoa-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/40290>