

## intact Parathormone, i-PTH ELISA Kit | i-PTH elisa kit

Rat intact Parathormone, i-PTH ELISA Kit

CATALOG #  
**AAA42482**

REACTIVITY  
**Rat**


### PRODUCT SYNONYMS

intact Parathormone; i-PTH; Rat intact Parathormone; i-PTH ELISA Kit; i-PTH elisa kit

### PRODUCT SPECIFICATIONS

|                         |                                                                          |
|-------------------------|--------------------------------------------------------------------------|
| Reactivity              | Rat                                                                      |
| Samples                 | Serum, plasma, cell culture supernates, cell lysates, tissue homogenates |
| Assay Type              | Quantitative Sandwich                                                    |
| Detection Range         | 1ng/L - 400ng/L                                                          |
| Sensitivity             | 0.51ng/L                                                                 |
| Intra-Assay             | CV<8%                                                                    |
| Inter-Assay             | CV<10%                                                                   |
| Preparation and Storage | Store at 2 to 8 degree C for 6 months.                                   |

### IMAGES



Standard Curve (Sample)

### ADDITIONAL INFORMATION

#### Related Product Information for i-PTH elisa kit

**Intended Uses:** This sandwich kit is for the accurate quantitative detection of Rat Intact Parathormone (also known as i-PTH) in serum, plasma, cell culture supernates, cell lysates, tissue homogenates.

**Principles of the Assay:** This kit is an Enzyme-Linked Immunosorbent Assay (ELISA). The plate has been pre-coated with Rat i-PTH antibody. i-PTH present in the sample is added and binds to antibodies coated on the wells. And then biotinylated Rat i-PTH Antibody is added and binds to i-PTH in the sample. Then Streptavidin-HRP is added and binds to the Biotinylated i-PTH antibody. After incubation unbound Streptavidin-HRP is washed away during a washing step. Substrate solution is then added and color develops in proportion to the amount of Rat i-PTH. The reaction is terminated by addition of acidic stop solution and absorbance is measured at 450 nm.

**For Research Use Only.** Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | [contact@aaabiotech.com](mailto:contact@aaabiotech.com)  
Online datasheet: <https://stage.aaabiotech.com/rat-elisa-kits/intact-parathormone-i-pth/42482>