

TRITC Conjugated Avidin Secondary Antibody

TRITC Conjugated Avidin

CATALOG #
AAA45599

APPLICATIONS
Immunocytochemistry, Immunohistochemistry, Immunohistochemistry


PRODUCT SYNONYMS

TRITC Conjugated Avidin; TRITC Conjugated Avidin secondary antibody

PRODUCT SPECIFICATIONS


Form/Format	Concentrated, Liquid
Concentration	1mg/ml (varies by lot)
Applicable Applications for TRITC Conjugated Avidin secondary antibody	ICC (Immunocytochemistry), IHC (Immunohistochemistry), IHC (Immunohistochemistry)
Preparation and Storage	At 4 degree C for one year.

IMAGES



Application Data

PCK was detected in paraffin-embedded sections of human intestinal cancer tissues using mouse anti- PCK Antigen Affinity purified monoclonal antibody at 1 ug/mL. TRITC Conjugated Avidin was used for visualization at 20ug/mL.



Application Data

Beta Catenin was detected in paraffin-embedded sections of human intestinal cancer tissues using rabbit anti-Beta Catenin Antigen Affinity purified polyclonal antibody at 1 ug/mL. TRITC Conjugated Avidin was used for visualization at 20 ug/mL.

ADDITIONAL INFORMATION

Related Product Information for TRITC Conjugated Avidin secondary antibody

Description: Avidin is a 68KD protein that extracted from egg white. It has very high affinity to biotin molecule, one million times than the common affinity between antigen and antibody. Avidin is a alkalic protein (IP=10.0-10.5), and it can transfer to be a neutral protein through reconstruction.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/secondary-antibody/tritc-conjugated-avidin/45599>