

TRITC Conjugated Goat Anti-mouse IgG Secondary Antibody

TRITC Conjugated Goat Anti-mouse IgG secondary antibody

CATALOG # AAA45611	HOST Goat	APPLICATIONS Immunocytochemistry, Immunohistochemistry, Immunohistochemistry
------------------------------	---------------------	--


PRODUCT SYNONYMS

TRITC Conjugated Goat Anti-mouse IgG; Polyclonal Secondary Antibody; TRITC Conjugated Goat Anti-mouse IgG secondary antibody

PRODUCT SPECIFICATIONS

Host	Goat
Clonality	Polyclonal
Specificity	This TRITC conjugated antibody is specific for mouse IgG and shows no cross-reactivity with human, bovine, rabbit IgG.
Form/Format	Concentrated, Liquid
Concentration	2mg/ml (varies by lot)
Applicable Applications for TRITC Conjugated Goat Anti-mouse IgG secondary antibody	ICC (Immunocytochemistry), IHC (Immunohistochemistry), IHC (Immunohistochemistry)
Immunogen	Mouse IgG (whole molecule).
Preparation and Storage	At 4 degree C for one year.

IMAGES



Application Data

PCNA was detected in paraffin-embedded sections of human lung cancer tissues using mouse anti- PCNA Antigen Affinity purified monoclonal antibody at 1 ug/mL. TRITC Conjugated Goat Anti-mouse IgG secondary antibody was used to detect the primary antibody at 30 ug/mL.

ADDITIONAL INFORMATION

Related Product Information for TRITC Conjugated Goat Anti-mouse IgG secondary antibody	Description: This antibody is purified from antiserum by immunoaffinity chromatography which removes essentially all goat serum proteins, except the specific antibody for mouse IgG. The antibody preparation is solid phase adsorbed with human serum proteins and bovine serum proteins to ensure minimal cross reactivity in tissue or cell preparations.
--	--

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

