

Rabbit Hsp90 alpha Monoclonal Antibody | anti-HSP90AA1 antibody

Anti-Hsp90 alpha Rabbit Monoclonal Antibody



CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA47022	Rabbit	Human, Mouse, Rat	Western Blot, Immunocytochemistry, Immunohistochemistry, Immunofluorescence

PRODUCT SYNONYMS

Hsp90 alpha; Monoclonal Antibody; Anti-Hsp90 alpha Rabbit Monoclonal Antibody; Heat shock protein HSP 90-alpha; Heat shock 86 kDa; HSP 86; HSP86; Lipopolysaccharide-associated protein 2; LAP-2; LPS-associated protein 2; Renal carcinoma antigen NY-REN-38; HSP90AA1; HSP90A; HSPC1; HSPCA; anti-HSP90AA1 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Monoclonal
Purity/Purification	Affinity-chromatography
Form/Format	Liquid
Sequence Length	854
Applicable Applications for anti-HSP90AA1 antibody	WB (Western Blot), ICC (Immunocytochemistry), IHC (Immunohistochemistry), IF (Immunofluorescence)
Immunogen	A synthesized peptide derived from human Hsp90 alpha
Subcellular Localization	Cytoplasm. Melanosome. Cell membrane. Identified by mass spectrometry in melanosome fractions from stage I to stage IV.
Contents	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Preparation and Storage	Store at -20 degree C for one year. After reconstitution, at 4 degree C for one month. It can also be aliquotted and stored frozen at -20 degree C for a longer time. Avoid repeated freezing and thawing.



IHC (Immunohistochemistry)
Immunohistochemical analysis of paraffin-embedded human breast cancer, using Hsp90 alpha antibody(AAA47022)HSP90AA1 was detected in paraffin-embedded tissue section. Heat mediated antigen retrieval was performed in citrate buffer (pH6, epitope retrieval solution) for 20 mins. The tissue section was blocked with 10% goat serum. The tissue section was then incubated with 1ug/ml rabbit anti-HSP90AA1 Antibody (AAA47022)overnight at 4 degree C. Biotinylated goat anti-rabbit IgG was used as secondary antibody and incubated for 30 minutes at 37 degree C. The tissue section was developed using Streptavidin-Biotin-Complex (SABC) with DAB as the chromogen.

WB (Western Blot)
Western blot analysis on HeLa cell lysate using HSP90A Antibody (AAA47022).Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel) / 90V (Resolving gel) for 2-3 hours. The sample well of each lane was loaded with 50ug of sample under reducing conditions.After Electrophoresis, proteins were transferred to a Nitrocellulose membrane at 150mA for 50-90 minutes. Blocked the membrane with 5% Non-fat Milk/ TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-HSP90AA1 monoclonal antibody overnight at 4 degree C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:10000 for 1.5 hour at RT. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit with Tanon 5200 system. A specific band was detected for HSP90AA1

ADDITIONAL INFORMATION

Related Product Information for anti-HSP90AA1 antibody	Molecular chaperone that promotes the maturation, structural maintenance and proper regulation of specific target proteins involved for instance in cell cycle control and signal transduction. Undergoes a functional cycle that is linked to its ATPase activity. This cycle probably induces conformational changes in the client proteins, thereby causing their activation. Interacts dynamically with various co-chaperones that modulate its substrate recognition, ATPase cycle and chaperone function. Binds bacterial lipopolysaccharide (LPS) et mediates LPS-induced inflammatory response, including TNF secretion by monocytes.
Product Categories/Family for anti-HSP90AA1 antibody	Signal Transduction; Protein Trafficking; chaperones; Heat Shock Proteins; Cancer; Tumor Biomarkers

NCBI AND UNIPROT INFORMATION

NCBI GI #	153792590
NCBI GeneID	3320
NCBI Accession #	NP_001017963.2
NCBI GenBank Nucleotide #	NM_001017963.2
UniProt Accession #	P07900; Q2PP14; Q5CAQ6; Q5CAQ7; Q9BVQ5; A8K500; B3KPJ9
Molecular Weight	84660 MW
NCBI Official Full Name	heat shock protein HSP 90-alpha isoform 1
NCBI Official Synonym Full Names	heat shock protein 90 alpha family class A member 1
NCBI Official Symbol	HSP90AA1
NCBI Official Synonym Symbols	EL52; HSPN; LAP2; HSP86; HSPC1; HSPCA; Hsp89; Hsp90; LAP-2; HSP89A; HSP90A; HSP90N; Hsp103; HSPCAL1; HSPCAL4; HEL-S-65p
NCBI Protein Information	heat shock protein HSP 90-alpha
UniProt Protein Name	Heat shock protein HSP 90-alpha

UniProt Gene Name	HSP90AA1
UniProt Synonym Gene Names	HSP90A; HSPC1; HSPCA; HSP 86; HSP86; LAP-2; LPS-associated protein 2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monoclonal/hsp90-alpha-antibody-western-blot-immunocytochemistry-immunohistochemistry-immunofluorescence-elisa/47022>