

Rabbit anti-Human 2B4 Monoclonal Antibody | anti-2B4 antibody

Anti-2B4 antibody (DM69), Rabbit mAb

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA47301	Rabbit	Human	Flow Cytometry, Functional Assay, ELISA



PRODUCT SYNONYMS

2B4; Monoclonal Antibody; Anti-2B4 antibody (DM69); Rabbit mAb; CD244; SLAMF4; NKR2B4; NAIL; h2B4; anti-2B4 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Monoclonal
Isotype	Rabbit IgG
Clone Number	DM69
Purity/Purification	Purified from cell culture supernatant by affinity chromatography
Form/Format	Liquid. 50% Glycerol; PBS, pH7.4; 0.1% BSA; 0.1% Procline 300
Applicable Applications for anti-2B4 antibody	FCM/FACS (Flow Cytometry), ELISA
Immunogen	Recombinant human 2B4 (Cys22-Ala221) produced by using human HEK293 cells
Reconstitution	Reconstitute with deionized water
Preparation and Storage	Store at -20 degree C for 12 months (Avoid repeated freezing and thawing)

IMAGES




FCM/FACS (Flow Cytometry)

Figure 4. Affinity ranking of different Rabbit anti-2B4 mAb clones by titration of different concentration onto THP-1 cells. The Y-axis represents the mean fluorescence intensity (MFI) while the X-axis represents the concentration of IgG used.


FCM/FACS (Flow Cytometry)

Figure 4. Affinity ranking of different Rabbit anti-2B4 mAb clones by titration of different concentration onto THP-1 cells. The Y-axis represents the mean fluorescence intensity (MFI) while the X-axis represents the concentration of IgG used.



FCM/FACS (Flow Cytometry)

Figure 4. Affinity ranking of different Rabbit anti-2B4 mAb clones by titration of different concentration onto THP-1 cells. The Y-axis represents the mean fluorescence intensity (MFI) while the X-axis represents the concentration of IgG used.



ELISA

Figure 4. Affinity ranking of different Rabbit anti-2B4 mAb clones by titration of different concentration onto THP-1 cells. The Y-axis represents the mean fluorescence intensity (MFI) while the X-axis represents the concentration of IgG used.

ADDITIONAL INFORMATION

Related Product Information for anti-2B4 antibody

This gene encodes a cell surface receptor expressed on natural killer (NK) cells (and some T cells) that mediate non-major histocompatibility complex (MHC) restricted killing. The interaction between NK-cell and target cells via this receptor is thought to modulate NK-cell cytolytic activity. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

NCBI AND UNIPROT INFORMATION

NCBI GI #	47605541
NCBI GeneID	51744
UniProt Accession #	Q9BZW8; Q5VYI2; Q5VYI6; Q5VYI7; Q96T47; Q9NQD2; Q9NQD3; Q9Y288
Molecular Weight	370
NCBI Official Full Name	Natural killer cell receptor 2B4
NCBI Official Synonym Full Names	CD244 molecule, natural killer cell receptor 2B4
NCBI Official Symbol	CD244
NCBI Official Synonym Symbols	2B4; NAIL; Nmrk; NKR2B4; SLAMF4
NCBI Protein Information	natural killer cell receptor 2B4; h2B4; SLAM family member 4; NK cell activation-inducing ligand; NK cell type I receptor protein 2B4; NK cell activation inducing ligand NAIL; signaling lymphocytic activation molecule 4
UniProt Protein Name	Natural killer cell receptor 2B4
UniProt Gene Name	CD244
UniProt Synonym Gene Names	2B4; NAIL; NKR2B4; h2B4; SLAMF4
UniProt Entry Name	CD244_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/2b4-antibody-clone-dm69-flow-cytometry-elisa/47301>