

Rabbit anti-Human CRLF2 / TSLPR Polyclonal Antibody | anti-CRLF2 antibody

Rabbit Polyclonal (IgG) to Human CRLF2 / TSLPR


CATALOG # AAA51377	HOST Rabbit	REACTIVITY Human	APPLICATIONS ELISA, Western Blot, Immunohistochemistry
------------------------------	-----------------------	----------------------------	--

PRODUCT SYNONYMS


CRLF2 / TSLPR; Polyclonal Antibody; Rabbit Polyclonal (IgG) to Human CRLF2 / TSLPR; Anti-CRLF2 / TSLPR Antibody (Internal) IHC-plus; CRLF2; IL-XR; ILXR; p2RY8/CRLF2 fusion; TSLP receptor; TSLPR; CRL2; CRLF2Y; Cytokine receptor-like 2; Human CRLF2; anti-CRLF2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Specificity	a 19 amino acid peptide from near the center of human TSLP-R
Purity/Purification	Immunoaffinity Purified
Form/Format	PBS, 0.02% sodium azide.
Concentration	1 mg/ml (varies by lot)
Sequence Length	259
Applicable Applications for anti-CRLF2 antibody	ELISA, WB (Western Blot), IHC (Immunohistochemistry)
Target Species	Human
Immunogen Description	Synthetic peptide from the extracellular region of human CRLF2 (Q9HC73).
Immunogen	CRLF2 / TSLPR antibody was raised against synthetic peptide from the extracellular region of human CRLF2 (Q9HC73).
Antigen Modification	Internal
Preparation and Storage	Short term 4 degree C, long term aliquot and store at -20 degree C, avoid freeze thaw cycles. Store undiluted.




WB (Western Blot)
Western blot of TSLP Receptor in human liver tissue lysate with at (A) 0.5, (B) 1 and (C) 2 ug/ml.



IF (Immunofluorescence)
Immunofluorescence of TSLP Receptor in Human Liver cells with TSLP Receptor antibody at 20 ug/ml.



IHC (Immunohistochemistry)
Anti-CRLF2 antibody IHC of human kidney. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 5 ug/ml.



IHC (Immunohistochemistry)
Anti-CRLF2 antibody IHC of human liver. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 5 ug/ml.

NCBI AND UNIPROT INFORMATION

NCBI GI #	589269166
NCBI GeneID	64109
NCBI Accession #	NP_001012288.2
NCBI GenBank Nucleotide #	NM_001012288.2
UniProt Accession #	Q9HC73; Q9H5R3
Molecular Weight	26,774 Da
NCBI Official Full Name	cytokine receptor-like factor 2 isoform 2
NCBI Official Synonym Full Names	cytokine receptor-like factor 2
NCBI Official Symbol	CRLF2
NCBI Official Synonym Symbols	CRL2; TSLPR; CRLF2Y
NCBI Protein Information	cytokine receptor-like factor 2; IL-XR; TSLP receptor; cytokine receptor CRL2 precursor; thymic stromal lymphopoietin protein receptor; thymic stromal-derived lymphopoietin receptor
UniProt Protein Name	Cytokine receptor-like factor 2
UniProt Gene Name	CRLF2
UniProt Synonym Gene Names	CRL2; ILXR; TSLPR; TSLP receptor
UniProt Entry Name	CRLF2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/crif2-tslpr-antibody-western-blot-immunohistochemistry-elisa/51377>