

Rabbit anti-Human FASLG / Fas Ligand Polyclonal Antibody | anti-FASLG antibody

Rabbit Polyclonal to Human FASLG / Fas Ligand


CATALOG # AAA51522	HOST Rabbit	REACTIVITY Human	APPLICATIONS Western Blot, Immunohistochemistry
------------------------------	-----------------------	----------------------------	---

PRODUCT SYNONYMS


FASLG / Fas Ligand; Polyclonal Antibody; Rabbit Polyclonal to Human FASLG / Fas Ligand; Anti-FASLG / Fas Ligand Antibody IHC-plus; FASLG; ALPS1B; Apoptosis antigen ligand; APTL; CD95L; CD95 ligand; CD178 antigen; CD95-L; Fas antigen ligand; Fas ligand; FASL; TNFSF6; APT1LG1; CD178; Human FASLG; Fas Ligand; anti-FASLG antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Specificity	Human Fas Ligand.
Purity/Purification	Immunoaffinity Purified
Form/Format	0.1 M Tris-glycine, pH 7, 10% Glycerol, 0.01% Thimerosal
Concentration	0.96 mg/ml (varies by lot)
Sequence Length	281
Applicable Applications for anti-FASLG antibody	WB (Western Blot), IHC (Immunohistochemistry)
Target Species	Human
Immunogen Description	Synthetic peptide containing a sequence corresponding to a region within amino acids 82 and 145 of Human Fas Ligand.
Immunogen Type	Synthetic peptide
Immunogen	FASLG / Fas Ligand antibody was raised against synthetic peptide containing a sequence corresponding to a region within amino acids 82 and 145 of Human Fas Ligand.
Preparation and Storage	Aliquot and store at -20 degree C. Minimize freezing and thawing.



WB (Western Blot)
Sample (30 ug of whole cell lysate). A: 293T. 12% SDS PAGE. FASLG antibody diluted at 1:1000.



IHC (Immunohistochemistry)
Anti-FASLG / FASL antibody IHC of human spleen. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 10 ug/ml.



IHC (Immunohistochemistry)
Anti-FASLG / FASL antibody IHC of human colon. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 10 ug/ml.

ADDITIONAL INFORMATION

Related Product Information for anti-FASLG antibody	Apoptosis antigen ligand 1 is the ligand for FAS. Both are transmembrane proteins. Interaction of FAS with its ligand is critical in triggering apoptosis of some types of cells such as lymphocytes. Defects in TNFSF6 may be related to some cases of systemic lupus erythematosus (SLE).
Product Categories/Family for anti-FASLG antibody	Family: TNF

NCBI AND UNIPROT INFORMATION

NCBI GI #	4557329
NCBI GeneID	356
NCBI Accession #	NP_000630.1
NCBI GenBank Nucleotide #	NM_000639.2
UniProt Accession #	P48023; Q9BZP9
Molecular Weight	14,006 Da
NCBI Official Full Name	tumor necrosis factor ligand superfamily member 6 isoform 1
NCBI Official Synonym Full Names	Fas ligand (TNF superfamily, member 6)
NCBI Official Symbol	FASLG
NCBI Official Synonym Symbols	APTL; FASL; CD178; CD95L; ALPS1B; CD95-L; TNFSF6; APT1LG1

NCBI Protein Information	tumor necrosis factor ligand superfamily member 6; CD95 ligand; fas antigen ligand; apoptosis antigen ligand; apoptosis (APO-1) antigen ligand 1
UniProt Protein Name	Tumor necrosis factor ligand superfamily member 6
UniProt Gene Name	FASLG
UniProt Synonym Gene Names	APT1LG1; CD95L; FASL; TNFSF6; APTL; CD95-L; Fas ligand; FasL; sFasL; APL; FasL ICD; SPA
UniProt Entry Name	TNFL6_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/faslg-fas-ligand-antibody-western-blot-immunohistochemistry-elisa/51522>