

Rabbit TTF / RHOH Polyclonal Antibody | anti-TTF antibody

Rabbit Polyclonal (IgG) to Human TTF / RHOH

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA51560	Rabbit	Human, Mouse, Rat	ELISA, Western Blot, Immunofluorescence, Immunohistochemistry


PRODUCT SYNONYMS

TTF / RHOH; Polyclonal Antibody; Rabbit Polyclonal (IgG) to Human TTF / RHOH; Anti-TTF / RHOH Antibody (aa141-190) IHC-plus; RHOH; ARHH; TTF; translocation three four; GTP-binding protein TTF; Ras homolog family member H; Human TTF; anti-TTF antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Specificity	RhoH Antibody detects endogenous levels of total RhoH protein.
Purity/Purification	Immunoaffinity Purified
Form/Format	PBS (without Mg2+, Ca2+), pH 7.4, 150 mM sodium chloride, 0.02% sodium azide, 50% glycerol
Concentration	1 mg/ml (varies by lot)
Sequence Length	191
Applicable Applications for anti-TTF antibody	ELISA, WB (Western Blot), IF (Immunofluorescence), IHC (Immunohistochemistry)
Target Species	Human
Immunogen Description	Synthetic peptide from human RhoH (aa141-190).
Immunogen	TTF / RHOH antibody was raised against synthetic peptide from human RhoH (aa141-190).
Antigen Modification	aa141-190
Preparation and Storage	Short term 4 degree C, long term aliquot and store at -20 degree C, avoid freeze thaw cycles.


IMAGES




WB (Western Blot)
Western blot of extracts from HT-29 cells, using RhoH Antibody. The lane on the right is treated with the synthesized peptide.



IF (Immunofluorescence)
Immunofluorescence of A549 cells, using RhoH Antibody. The picture on the right is treated with the synthesized peptide.



IHC (Immunohistochemistry)
Anti-RHOH antibody IHC of human small intestine. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 5 ug/ml.



IHC (Immunohistochemistry)
Anti-RHOH antibody IHC of human colon. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 5 ug/ml.

ADDITIONAL INFORMATION

Product Categories/Family for anti-TTF antibody	Family: Ras GTPase superfamily IPR001806
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	4757770
NCBI GeneID	399
NCBI Accession #	NP_004301.1
NCBI GenBank Nucleotide #	NM_004310.4
UniProt Accession #	Q15669
Molecular Weight	21,331 Da
NCBI Official Full Name	rho-related GTP-binding protein RhoH
NCBI Official Synonym Full Names	ras homolog family member H
NCBI Official Symbol	RHOH
NCBI Official Synonym Symbols	TTF; ARHH
NCBI Protein Information	rho-related GTP-binding protein RhoH; GTP-binding protein TTF; TTF, translocation three four; ras homolog gene family, member H
UniProt Protein Name	Rho-related GTP-binding protein RhoH

UniProt Gene Name	RHOH
UniProt Synonym Gene Names	ARHH; TTF
UniProt Entry Name	RHOH_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/ttf-rhoh-antibody-western-blot-immunofluorescence-immunohistochemistry-elisa/51560>