

Rabbit anti-Human Fibrinogen Polyclonal Antibody | anti-FGG antibody

Rabbit Polyclonal (IgG) to Human Fibrinogen

CATALOG # AAA52085	HOST Rabbit	REACTIVITY Human	APPLICATIONS ELISA, Western Blot, Immunohistochemistry
------------------------------	-----------------------	----------------------------	--

PRODUCT SYNONYMS


Fibrinogen; Polyclonal Antibody; Rabbit Polyclonal (IgG) to Human Fibrinogen; Anti-Fibrinogen Antibody IHC-plus; Human Fibrinogen; anti-FGG antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Specificity	Recognises Fibrinogen
Purity/Purification	Purified IgG
Form/Format	0.05M Sodium Phosphate; 0.1M NaCl; 1mM EDTA; pH 6.6
Concentration	1 mg/ml (varies by lot)
Sequence Length	444
Applicable Applications for anti-FGG antibody	ELISA, WB (Western Blot), IHC (Immunohistochemistry)
Target Species	Human
Immunogen Description	Full length native protein (purified) (Human).
Immunogen Type	Native protein
Immunogen	Fibrinogen antibody was raised against full length native protein (purified) (Human).
Disclaimer	Due to the highly specific nature of antibodies and antigens, we cannot predict or be held responsible with respect to how this antibody will behave in your systems. Researchers using this antibody should conduct optimization studies to achieve the most optimal result possible for their intended application.

Recommended Immunohistochemistry Protocol	The following protocol is a recommendation only, and AAA Biotech makes no guarantee of the results: Tissue Preparation: Formalin fixation and embedding in paraffin wax. Tissue Sectioning: Make 4-um sections and place on pre-cleaned and charged microscope slides. Heat in a tissue-dryingoven for 45 minutes at 60°C. Deparaffinization: Wash dry slides in 3 changes of xylene - 5 minutes each @ RT Rehydration: Wash slides in 3 changes of 100% alcohol - 3 minutes each @ RT Wash slides in 2 changes of 95% alcohol - 3 minutes each @ RT Wash slides in 1 change of 80% alcohol - 3 minutes @ RT Rinse slides in gentle running distilled water - 5 minutes @ RT Antigen retrieval: Steam slides in 0.01 M sodium citrate buffer, pH 6.0 at 99-100°C - 20 minutes Remove from heat and let stand at room temperature in buffer - 20 minutes Rinse in 1X TBS with Tween (TBST) -1 minute @ RT Immunostaining: (Do not allow tissues to dry at any time during the staining procedure) Apply a universal protein block - 20 minutes @ RT Drain protein block from slides, apply diluted primary antibody - 45 minutes @ RT Rinse slides in 1 X TBST - 1 minute @ RT Apply a biotinylated secondary antibody appropriate for the primary antibody - 30 minutes @ RT Rinse slides in 1X TBST -1 minute @ RT Apply alkaline phosphatase streptavidin - 30 minutes @ RT Rinse slides in 1X TBST -1 minute @ RT Apply alkaline phosphatase chromogen substrate - 30 minutes @ RT Wash slides in distilled water - 1 minute @ RT Dehydrate: (This method should only be used if the chromogen substrate is alcohol insoluble (e.g. Vector Red, DAB) Wash slides in 2 changes of 80% alcohol - 1 minute each @ RT Wash slides in 2 changes of 95% alcohol - 1 minute each @ RT Wash slides in 3 changes of 100% alcohol - 1 minute each @ RT Wash slides in 3 changes of xylene - 1 minute each @ RT Apply coverslip
Preparation and Storage	Store at -70 degree C.

IMAGES



IHC (Immunohiostchemistry)
Anti-Fibrinogen antibody IHC of human spleen. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 5 ug/ml.



IHC (Immunohistochemistry)
Anti-Fibrinogen antibody IHC of human liver. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 5 ug/ml.

NCBI AND UNIPROT INFORMATION

NCBI GI #	350
NCBI GeneID	280792
UniProt Accession #	P12799
Molecular Weight	50,244 Da
NCBI Official Full Name	fibrinogen
NCBI Official Synonym Full Names	fibrinogen gamma chain<
NCBI Official Symbol	FGG
NCBI Protein Information	fibrinogen gamma-B chain; gamma'; fibrinogen, gamma polypeptide
UniProt Protein Name	Fibrinogen gamma-B chain
UniProt Gene Name	FGG
UniProt Synonym Gene Names	Gamma'
UniProt Entry Name	FIBG_BOVIN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/fibrinogen-antibody-western-blot-immunohistochemistry-elisa/52085>