

Goat RPL22 / L22 Polyclonal Antibody | anti-RPL22 antibody

Goat Polyclonal to Human RPL22 / L22

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA52127	Goat	Gibbon, Bovine, Chicken, Dog, Xenopus, Gorilla, Horse, Human, Monkey, Mouse, Pig, Rabbit, Rat Predicted Reactivity: Zebrafish (at least 90% immunogen sequence identity)	ELISA, Immunohistochemistry


PRODUCT SYNONYMS

RPL22 / L22; Polyclonal Antibody; Goat Polyclonal to Human RPL22 / L22; Anti-RPL22 / L22 Antibody (C-Terminus) IHC-plus; RPL22; 60S ribosomal protein L22; EAP; EBER-associated protein; HBP15; Heparin-binding protein 15; Ribosomal protein L22; Heparin-binding protein HBp15; L22; Human RPL22; anti-RPL22 antibody


PRODUCT SPECIFICATIONS

Host	Goat
Reactivity	Gibbon, Bovine, Chicken, Dog, Xenopus, Gorilla, Horse, Human, Monkey, Mouse, Pig, Rabbit, Rat Predicted Reactivity: Zebrafish (at least 90% immunogen sequence identity)
Clonality	Polyclonal
Specificity	Human RPL22.
Purity/Purification	Immunoaffinity Purified
Form/Format	Tris-buffered saline, pH 7.3, 0.5% BSA, 0.02% sodium azide
Concentration	0.5 mg/ml (varies by lot)
Sequence Length	128
Applicable Applications for anti-RPL22 antibody	ELISA, IHC (Immunohistochemistry)
Target Species	Human
Immunogen Description	Synthetic peptide C-SKESYELRYFQINQ from the C-terminus of human RPL22 (NP_000974.1).
Immunogen Type	Synthetic peptide
Immunogen	RPL22 / L22 antibody was raised against synthetic peptide C-SKESYELRYFQINQ from the C-terminus of human RPL22 (NP_000974.1). Percent identity by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Marmoset, Mouse, Rat, Elephant, Bovine, Dog, Horse, Rabbit, Pig, Opossum, Turkey, Chicken, Platypus, Xenopus (100%); Panda, Seabass, Catfish, Salmon, Sablefish, Stickleback, Pike, Zebrafish (93%); Seq squirt, Eye worm, Nematode (86%).
Antigen Modification	C-Terminus
Preparation and Storage	Store at -20 degree C. Minimize freezing and thawing.


IMAGES




IHC (Immunohistochemistry)
Anti-RPL22 antibody IHC of human thyroid. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 3.75 ug/ml.



IHC (Immunohistochemistry)
Anti-RPL22 antibody IHC of human uterus. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 3.75 ug/ml.



IHC (Immunohistochemistry)
Anti-RPL22 antibody IHC of human testis. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 3.75 ug/ml.



IHC (Immunohistochemistry)
Anti-RPL22 antibody IHC of human brain, cortex. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 3.75 ug/ml.

NCBI AND UNIPROT INFORMATION

NCBI GI #	4506613
NCBI GeneID	6146
NCBI Accession #	NP_000974.1
NCBI GenBank Nucleotide #	NM_000983.3
UniProt Accession #	P35268; Q6IBD1; B2R495
Molecular Weight	14,787 Da
NCBI Official Full Name	60S ribosomal protein L22 proprotein
NCBI Official Synonym Full Names	ribosomal protein L22
NCBI Official Symbol	RPL22
NCBI Official Synonym Symbols	EAP; L22; HBP15; HBP15/L22
NCBI Protein Information	60S ribosomal protein L22; EBER-associated protein; heparin-binding protein 15; heparin-binding protein HBp15; Epstein-Barr-encoded RNA-associated protein; Epstein-Barr virus small RNA-associated protein
UniProt Protein Name	60S ribosomal protein L22
UniProt Gene Name	RPL22
UniProt Synonym Gene Names	EAP
UniProt Entry Name	RL22_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/rpl22-l22-antibody-immunohistochemistry-elisa/52127>