

Rabbit anti-Human BIRC3 / cIAP2 Polyclonal Antibody | anti-BIRC3 antibody

Rabbit Polyclonal to Human BIRC3 / cIAP2


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA52293	Rabbit	Human	Western Blot, Immunohistochemistry

PRODUCT SYNONYMS


BIRC3 / cIAP2; Polyclonal Antibody; Rabbit Polyclonal to Human BIRC3 / cIAP2; Anti-BIRC3 / cIAP2 Antibody IHC-plus; BIRC3; AIP1; API2; Apoptosis inhibitor 2; CIAP2; Hiap-1; HIAP1; IAP homolog C; Mammalian IAP homolog C; MIHC; IAP-1; IAP1; RING finger protein 49; RNF49; C-IAP2; HAIP1; MALT2; Human BIRC3; cIAP2; anti-BIRC3 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Specificity	Human cIAP2. Predicted cross-reactivity based on amino acid sequence homology: bovine (84%).
Purity/Purification	Immunoaffinity Purified
Form/Format	0.1 M Tris-glycine, pH 7, 10% Glycerol, 0.01% Thimerosal
Concentration	1 mg/ml (varies by lot)
Sequence Length	604
Applicable Applications for anti-BIRC3 antibody	WB (Western Blot), IHC (Immunohistochemistry)
Target Species	Human
Immunogen Description	Recombinant protein fragment containing a sequence corresponding to a region within amino acids 314 and 508 of Human cIAP2.
Immunogen Type	Recombinant protein
Immunogen	BIRC3 / cIAP2 antibody was raised against recombinant protein fragment containing a sequence corresponding to a region within amino acids 314 and 508 of Human cIAP2.
Preparation and Storage	Aliquot and store at -20 degree C. Minimize freezing and thawing.




WB (Western Blot)
Sample (30 ug of whole cell lysate). A: 293T. B: A431. C: H1299. D: Hela. E: Hep G2. F: Molt-4. 7.5% SDS PAGE. BIRC3 antibody diluted at 1:1000.



IHC (Immunohistochemistry)
Anti-clAP2 antibody IHC of human spleen. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 10 ug/ml.



IHC (Immunohistochemistry)
Anti-clAP2 antibody IHC of human tonsil. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 10 ug/ml.



IHC (Immunohistochemistry)
Anti-clAP2 antibody IHC of human testis. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 10 ug/ml.

ADDITIONAL INFORMATION

Related Product Information for anti-BIRC3 antibody	Apoptosis inhibitor 2 (API2) is a member of a family of proteins that inhibits apoptosis by binding to tumor necrosis factor receptor-associated factors TRAF1 and TRAF2, probably by interfering with activation of ICE-like proteases. API2 inhibits apoptosis induced by serum deprivation but does not affect apoptosis resulting from exposure to menadione, a potent inducer of free radicals. The amino acid sequence predicts three baculovirus IAP repeat domains and a ring finger domain.
Product Categories/Family for anti-BIRC3 antibody	Family: Apoptosis

NCBI AND UNIPROT INFORMATION

NCBI GI #	4502139
NCBI GeneID	330
NCBI Accession #	NP_001156.1
NCBI GenBank Nucleotide #	NM_001165.4
UniProt Accession #	Q13489; Q16628; Q9HC27; Q9UP46
Molecular Weight	68,372 Da
NCBI Official Full Name	baculoviral IAP repeat-containing protein 3
NCBI Official Synonym Full Names	baculoviral IAP repeat containing 3
NCBI Official Symbol	BIRC3
NCBI Official Synonym Symbols	AIP1; API2; MIHC; CIAP2; HAIP1; HIAP1; MALT2; RNF49; c-IAP2

NCBI Protein Information	baculoviral IAP repeat-containing protein 3; IAP-1; IAP homolog C; apoptosis inhibitor 2; RING finger protein 49; mammalian IAP homolog C; inhibitor of apoptosis protein 1; baculoviral IAP repeat-containing 3; TNFR2-TRAF signaling complex protein; TNFR2-TRAF-signaling complex protein 1
UniProt Protein Name	Baculoviral IAP repeat-containing protein 3
UniProt Gene Name	BIRC3
UniProt Synonym Gene Names	API2; IAP1; MIHC; RNF49; API2; IAP-1; hIAP-1; hIAP1
UniProt Entry Name	BIRC3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
 Online datasheet: <https://stage.aaabiotech.com/polyclonal/birc3-ciap2-antibody-western-blot-immunohistochemistry-elisa/52293>