

Rabbit anti-Human CLEC7A / Dectin 1 Polyclonal Antibody | anti-CLEC7A antibody

Rabbit Polyclonal to Human CLEC7A / Dectin 1


CATALOG # AAA52365	HOST Rabbit	REACTIVITY Human	APPLICATIONS Western Blot, Immunohistochemistry
------------------------------	-----------------------	----------------------------	---

PRODUCT SYNONYMS


CLEC7A / Dectin 1; Polyclonal Antibody; Rabbit Polyclonal to Human CLEC7A / Dectin 1; Anti-CLEC7A / Dectin 1 Antibody (Internal) IHC-plus; CLEC7A; BGR; CANDF4; CLECSF12; Dectin-1; DC-associated C-type lectin 1; DECTIN1; HDectin-1; Beta-glucan receptor; Lectin-like receptor 1; Human CLEC7A; Dectin 1; anti-CLEC7A antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Specificity	Human CLEC7A / Dectin 1. Multiple isoforms of CLEC7A are known to exist. Immunogenic peptide is conserved among isoforms 1, 3, and 4 (Q9BXN2).
Purity/Purification	Immunoaffinity Purified
Form/Format	PBS, 0.02% sodium azide
Concentration	1 mg/ml (varies by lot)
Sequence Length	201
Applicable Applications for anti-CLEC7A antibody	WB (Western Blot), IHC (Immunohistochemistry)
Target Species	Human
Immunogen Description	A 17 amino acid peptide near the center of human CLEC7A.
Immunogen Type	Synthetic peptide
Immunogen	CLEC7A / Dectin 1 antibody was raised against a 17 amino acid peptide near the center of human CLEC7A.
Antigen Modification	Internal
Preparation and Storage	Store at -20 degree C. Aliquot to avoid freeze/thaw cycles.



WB (Western Blot)
Western blot analysis of CLEC7A in rat spleen tissue lysate with CLEC7A antibody at (A) 1 and (B) 2 ug/.



IF (Immunofluorescence)
Immunofluorescence of CLEC7A in human spleen tissue withCLEC7A antibody at 20 ug/ml.



IHC (Immunohistochemistry)
Anti-CLEC7A / Dectin 1 antibody IHC staining of human testis. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

NCBI AND UNIPROT INFORMATION

NCBI GI #	13384604
NCBI GeneID	64581
NCBI Accession #	NP_072092.2
NCBI GenBank Nucleotide #	NM_022570.4
UniProt Accession #	Q9BXN2; Q6IPS7; Q96D32; Q96DR9; Q96LD3; Q96PA4; Q96PA5; Q96PA6; B2R861; B7Z494; B7Z5A9; B7Z5B9
Molecular Weight	13,138 Da
NCBI Official Full Name	C-type lectin domain family 7 member A isoform b
NCBI Official Synonym Full Names	C-type lectin domain family 7, member A
NCBI Official Symbol	CLEC7A
NCBI Official Synonym Symbols	BGR; CANDF4; DECTIN1; CLECSF12
NCBI Protein Information	C-type lectin domain family 7 member A; dectin-1; beta-glucan receptor; lectin-like receptor 1; DC-associated C-type lectin 1; C-type lectin superfamily member 12; dendritic cell-associated C-type lectin 1; dendritic cell-associated C-type lectin-1; C-type (calcium dependent, carbohydrate-recognition domain) lectin, superfamily member 12
UniProt Protein Name	C-type lectin domain family 7 member A
UniProt Gene Name	CLEC7A
UniProt Synonym Gene Names	BGR; CLECSF12; DECTIN1; DC-associated C-type lectin 1; Dectin-1
UniProt Entry Name	CLC7A_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/clec7a-dectin-1-antibody-western-blot-immunohistochemistry-elisa/52365>