

## Rat Intercellular Adhesion Molecule 1 (ICAM-1) ELISA Kit | ICAM-1 elisa kit

Rat Intercellular Adhesion Molecule 1 (ICAM-1) ELISA Kit

|                              |                          |
|------------------------------|--------------------------|
| CATALOG #<br><b>AAA54809</b> | REACTIVITY<br><b>Rat</b> |
|------------------------------|--------------------------|


### PRODUCT SYNONYMS

Intercellular Adhesion Molecule 1 (ICAM-1); Rat Intercellular Adhesion Molecule 1 (ICAM-1) ELISA Kit; ICAM-1 elisa kit

### PRODUCT SPECIFICATIONS

|                         |                                               |
|-------------------------|-----------------------------------------------|
| Reactivity              | Rat                                           |
| Specificity             | No cross-reaction with other factors.         |
| Sequence Length         | 532                                           |
| Samples                 | Rat serum, plasma or cell culture supernatant |
| Assay Type              | Quantitative Sandwich                         |
| Detection Range         | 20 ng/ml-0.312 ng/ml                          |
| Sensitivity             | Up to 0.06 ng/ml                              |
| Intra-assay Precision   | <= 8%                                         |
| Inter-assay Precision   | <= 12%                                        |
| Preparation and Storage | Store all reagents at 2-8 degree C.           |

### IMAGES



Standard Curve (Sample)

### ADDITIONAL INFORMATION

#### Related Product Information for ICAM-1 elisa kit

Principle of the Assay: This experiment use double-sandwich elisa technique and the ELISA Kit provided is typical. The pre-coated antibody is Rat ICAM-1 monoclonal antibody and the detecting antibody is polyclonal antibody with biotin labeled. Samples and biotin labeling antibody are added into ELISA plate wells and washed out with PBS or TBS. Then Avidin-peroxidase conjugates are added to ELISA wells in order; Use TMB substrate for coloring after reactant thoroughly washed out by PBS or TBS. TMB turns into blue in peroxidase catalytic and finally turns into yellow under the action of acid. The color depth and the testing factors in samples are positively correlated.

### NCBI AND UNIPROT INFORMATION

|             |           |
|-------------|-----------|
| NCBI GI #   | 167466198 |
| NCBI GeneID | 3383      |

|                                  |                                                                                                                                                                                  |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NCBI Accession #                 | <a href="#">NP_000192.2</a>                                                                                                                                                      |
| NCBI GenBank Nucleotide #        | <a href="#">NM_000201.2</a>                                                                                                                                                      |
| Molecular Weight                 | 57,825 Da                                                                                                                                                                        |
| NCBI Official Full Name          | intercellular adhesion molecule 1                                                                                                                                                |
| NCBI Official Synonym Full Names | intercellular adhesion molecule 1                                                                                                                                                |
| NCBI Official Symbol             | ICAM1                                                                                                                                                                            |
| NCBI Official Synonym Symbols    | BB2; CD54; P3.58                                                                                                                                                                 |
| NCBI Protein Information         | intercellular adhesion molecule 1; ICAM-1; cell surface glycoprotein P3.58; major group rhinovirus receptor; intercellular adhesion molecule 1 (CD54), human rhinovirus receptor |
| UniProt Protein Name             | Intercellular adhesion molecule 1                                                                                                                                                |
| UniProt Gene Name                | <b>ICAM1</b>                                                                                                                                                                     |
| UniProt Synonym Gene Names       | ICAM-1                                                                                                                                                                           |
| UniProt Entry Name               | ICAM1_HUMAN                                                                                                                                                                      |

**For Research Use Only.** Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | [contact@aaabiotech.com](mailto:contact@aaabiotech.com)  
Online datasheet: <https://stage.aaabiotech.com/rat-elisa-kits/intercellular-adhesion-molecule-1-icam-1/54809>