

Rabbit anti-Human HHV-8 Monoclonal Antibody | anti-HHV-8 antibody

HHV-8 (RBT-HHV8)

CATALOG # AAA59415	HOST Rabbit	REACTIVITY Human
------------------------------	-----------------------	----------------------------


PRODUCT SYNONYMS

HHV-8; Monoclonal Antibody; HHV-8 (RBT-HHV8); hhv8; hlv-8; hlv 8; anti-hhv8; anti hlv-8; anti-hlv-8; Kaposi s sarcoma associated herpesvirus; KSHV; eighth human herpes virus; anti-HHV-8 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Monoclonal
Isotype	IgG
Clone Number	RBT-HHV8
Form/Format	Paraffin, Frozen HHV-8 is a rabbit monoclonal antibody derived from cell culture supernatant that is concentrated, dialyzed, filter sterilized and diluted in buffer pH7.5, containing BSA and sodium azide as a preservative.
Immunogen	Recombinant protein corresponding to the latent nuclear antigen 1 molecule of HHV8
Control	Kaposi's Sarcoma
Localization	Nuclear
Preparation and Storage	Store at 2-8 degree C (Control Slides: Store at 20-25 degree C)

IMAGES



IHC (Immunohistochemistry)

HHV-8 Antibody Immunohistochemistry on an FFPE Kaposi's Sarcoma Tissue

Antibody Type	Dilution	Volume/Qty
Prediluted	Ready-To-Use	3.0 ml
Prediluted	Ready-To-Use	7.0 ml
Prediluted	Ready-To-Use	15.0 ml
Concentrated	1:50-1:200	0.1 ml
Concentrated	1:50-1:200	0.5 ml
Concentrated	1:50-1:200	1.0 ml
Control Slides		5

Dilution Info

ADDITIONAL INFORMATION

Related Product Information for anti-HHV-8 antibody	Kaposi's sarcoma-associated herpesvirus is the eighth human herpes virus; its formal name according to the International Committee on Taxonomy of Viruses is HHV-8. It causes development of cutaneous lesions such as macules, plaques, and nodules, and may invade tissues such as lymph nodes. HHV-8 antibody is associated with Kaposi's sarcoma (KS), primary effusion lymphoma, and multicentric Castleman's disease. HHV-8 antibody detects the latent nuclear antigen (LNA) protein in all stages and pathological presentations of KS, which can differentiate KS from HIV-induced tumors or other neoplasia of similar morphology. Immunohistochemical detection of HHV-8 LNA is particularly useful in early detection, where inflammation but not significant tumor formation has occurred.
---	---

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monoclonal/hhv-8-antibody-clone-rbt-hhv8-elisa/59415>