

BRD2 recombinant protein

Recombinant BRD2 (71-194) protein, GST-Tag

CATALOG # AAA60158	HOST E Coli
------------------------------	-----------------------


PRODUCT SYNONYMS

BRD2; Recombinant BRD2 (71-194) protein; GST-Tag; FSH; NAT; RNF3; FSRG1; RING3; D6S113E; BRD2 recombinant protein

PRODUCT SPECIFICATIONS


Host	E Coli
Form/Format	Recombinant BRD2 (71-194), GST-Tag protein is supplied in 25mM Tris-HCl pH8.0, 300mM NaCl, 10% glycerol.
Protein Species	Human
Tag	GST-Tag
Notes	This protein is suitable for use in binding assays, inhibitor screening, and selectivity profiling.
Dry Ice Note	The product may be shipped with dry ice, and an additional fee may be added to your shipping cost.
Preparation and Storage	Recombinant proteins in solution are temperature sensitive and must be stored at -80 degree C to prevent degradation. Avoid repeated freeze/thaw cycles and keep on ice when not in storage. Shipping Temp: Dry Ice

IMAGES




Application Data

HTRF assay for BRD2 (71-194), GST-tag activity 3 uM histone H4K5/8/12/16(ac4) peptide was incubated with different concentrations of BRD2 (71-194), GST-tag protein in a 10 ul reaction system containing 50 mM HEPES-NaOH pH 7.4, 0.1% BSA for 1 hour, then 10 ul GST antibody and SA-XL665 mixture (each 1:100 dilution in the reaction buffer) was added to each reaction system and incubated for 30 min. All the operations and reactions were performed at room temperature. HTRF assay was used for detection.



Application Data

HTRF assay for BRD2 (71-194), GST-tag activity 3 uM histone H4K5/8/12/16(ac4) peptide was incubated with different concentrations of BRD2 (71-194), GST-tag protein in a 10 ul reaction system containing 50 mM HEPES-NaOH pH 7.4, 0.1% BSA for 1 hour, then 10 ul GST antibody and SA-XL665 mixture (each 1:100 dilution in the reaction buffer) was added to each reaction system and incubated for 30 min. All the operations and reactions were performed at room temperature. HTRF assay was used for detection.



SDS-PAGE

Recombinant BRD2 (71-194), GST-Tag, protein gel 10% SDS-PAGE Coomassie staining MW:
41 kDa Purity: >85%

ADDITIONAL INFORMATION

Related Product Information for BRD2 recombinant protein

Short Description: Recombinant BRD2 (71-194), GST-Tag protein includes amino acids 71-194 (the first Bromodomain) of human BRD2 protein (accession number NP_005095.1); it was expressed in E Coli and contains an N-terminal GST-Tag with a molecular weight of 41 kDa. This protein is suitable for use in binding assays, inhibitor screening, and selectivity profiling.

Background: Bromodomain-containing protein 2 (BRD2), also known as RING3, belongs to the BET subclass of proteins, which are characterized by two N-terminal bromodomains and one ET (Extra Terminal) domain. BRDs associate with chromatin through their bromodomains that recognize acetylated histone lysine residues. Bromodomains function as 'readers' of these epigenetic histone marks and regulate chromatin structure and gene expression by linking associated proteins to the acetylated nucleosomal targets. The ET domain functions as a protein binding motif and exerts atypical serine-kinase activity. The BET family consists of at least four members in mouse and human, BRD2 (also referred to as FSRG1, RING3), BRD3 (FSRG2, ORFX), BRD4 (FSRG4, MCAP/HUNK1), and BRDT (FSRG3, BRD6). BRD proteins are related to the female Sterile Homeotic protein in *Drosophila*, a gene required maternally for proper expression of other homeotic genes, such as Ubx, which is involved in pattern formation. BRD2 causes elevated protein kinase activity in leukemias. Transgenic mice overexpressing BRD2 in the lymphoid system develop diffuse large-cell lymphoma. BRD2 has been shown to interact with E2F1 and with histone H4 acetylated at Lys12 via its two bromodomains. BRD2 may play a role in spermatogenesis or folliculogenesis. Genetic evidence links the BRD2 gene to both juvenile myoclonic epilepsy and photoparoxysmal responses. It shows binding specificity for acetylated H4K5, H4K5/8, H4K5/12, H4K8/12, H4K12/16, H4K12/16/20 and H4K5/8/12/16.

Product Categories/Family for BRD2 recombinant protein

[Recombinant Proteins](#); [Bromodomain](#)

NCBI AND UNIPROT INFORMATION

Molecular Weight

Molecular weight of 41kDa

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/brd2-recombinant-protein-e-coli/60158>