

Goat UBE2L3 Polyclonal Antibody | anti-UBE2L3 antibody

Goat anti-UBE2L3 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA61050	Goat	Tested: Human, Mouse, Rat, Pig; Expected from sequence similarity: Human, Mouse, Rat, Pig, Cow	Western Blot, ELISA


PRODUCT SYNONYMS

UBE2L3; Polyclonal Antibody; Goat anti-UBE2L3 Antibody; ubiquitin-conjugating enzyme E2L 3; UBCH7; E2-F1; L-UBC; UbcM4; ubiquitin carrier protein; ubiquitin-conjugating enzyme UBCH7; ubiquitin-protein ligase; UBE2L3 antibody; ubiquitin-conjugating enzyme E2L 3 antibody; UBCH7 antibody; E2-F1 antibody; L-UBC antibody; UbcM4 antibody; ubiquitin carrier protein antibody; ubiquitin-conjugating enzyme UBCH7 antibody; ubiquitin-protein ligase antibody; anti-UBE2L3 antibody


PRODUCT SPECIFICATIONS

Host	Goat
Reactivity	Tested: Human, Mouse, Rat, Pig; Expected from sequence similarity: Human, Mouse, Rat, Pig, Cow
Clonality	Polyclonal
Purity/Purification	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Form/Format	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Concentration	100ug specific antibody in 200ul (varies by lot)
Sequence	EFTKKYGEKR PVD
Sequence Length	154
Applicable Applications for anti-UBE2L3 antibody	WB (Western Blot), ELISA (Peptide ELISA)
Immunogen	Peptide with sequence C-EFTKKYGEKRPVD, from the C Terminus of the protein sequence according to NP_003338.1.
Epitope	C Terminus
Preparation and Storage	Aliquot and store at -20 degree C. Minimize freezing and thawing.


IMAGES


WB (Western Blot)

0.01ug/ml staining of HEK293 (A), HepG2 (B) and Jurkat (C) lysates (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.



WB (Western Blot)

0.03ug/ml staining of Human (A), Mouse (B) and Rat (C) Skeletal Muscle lysates (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.



WB (Western Blot)

0.01ug/ml staining of Human (A), Mouse (B), Rat (C) and Pig (D) Heart lysate (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.



WB (Western Blot)

Staining (0.5ug/ml) of HeLa lysate (RIPA buffer, 35ug total protein per lane). Primary incubated for 1 hour. Detected by western blot using chemiluminescence.

NCBI AND UNIPROT INFORMATION

NCBI GI #	4507789
NCBI GeneID	7332
NCBI Accession #	NP_003338.1
NCBI GenBank Nucleotide #	NM_003347.3
Molecular Weight	24,004 Da
NCBI Official Full Name	ubiquitin-conjugating enzyme E2 L3 isoform 1
NCBI Official Synonym Full Names	ubiquitin conjugating enzyme E2 L3
NCBI Official Symbol	UBE2L3
NCBI Official Synonym Symbols	E2-F1; L-UBC; UBCH7; UbcM4
NCBI Protein Information	ubiquitin-conjugating enzyme E2 L3
UniProt Protein Name	Ubiquitin-conjugating enzyme E2 L3
UniProt Gene Name	UBE2L3
UniProt Synonym Gene Names	UBCE7; UBCH7
UniProt Entry Name	UB2L3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/ube2l3-antibody-western-blot-peptide-elisa-elisa/61050>