

Goat Restin/CLIP1 Polyclonal Antibody | anti-CLIP1 antibody

Goat anti-Restin/CLIP1 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA61445	Goat	Tested: Human; Expected from sequence similarity: Human, Mouse, Rat, Dog, Pig	Immunohistochemistry, Western Blot, ELISA


PRODUCT SYNONYMS

Restin/CLIP1; Polyclonal Antibody; Goat anti-Restin/CLIP1 Antibody; CLIP1; CAP-GLY domain containing linker protein 1; CLIP; CLIP-170; CLIP170; CYLN1; MGC131604; RSN; Reed-Steinberg cell-expressed intermediate filament-associated protein; cytoplasmic linker 1; restin; restin (Reed-Steinberg cell-expressed intermediate fil; CLIP1 antibody; CAP-GLY domain containing linker protein 1 antibody; CLIP antibody; CLIP-170 antibody; CLIP170 antibody; CYLN1 antibody; MGC131604 antibody; RSN antibody; Reed-Steinberg cell-expressed intermediate filament-associated protein antibody; cytoplasmic linker 1 antibody; restin antibody; restin (Reed-Steinberg cell-expressed intermediate filament-associated protein) antibody; Restin; Restin / CLIP1; anti-CLIP1 antibody


PRODUCT SPECIFICATIONS

Host	Goat
Reactivity	Tested: Human; Expected from sequence similarity: Human, Mouse, Rat, Dog, Pig
Clonality	Polyclonal
Purity/Purification	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Form/Format	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Concentration	100ug specific antibody in 200ul (varies by lot)
Sequence	PHSTHHGSRG EERP
Sequence Length	1427
Applicable Applications for anti-CLIP1 antibody	IHC (Immunohistochemistry), WB (Western Blot), ELISA (Peptide ELISA)
Immunogen	Peptide with sequence C-PHSTHHGSRGEERP, from the C Terminus of the protein sequence according to NP_002947.1; NP_937883.1.
Epitope	C Terminus
Note	This antibody is expected to recognize both reported isoforms (NP_002947.1; NP_937883.1).
Preparation and Storage	Aliquot and store at -20 degree C. Minimize freezing and thawing.

IMAGES



IHC (Immunohistochemistry)
2.5ug/ml staining of paraffin embedded Human Thyroid Gland. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



WB (Western Blot)
1ug/ml staining of Human Breast Cancer lysate (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

NCBI AND UNIPROT INFORMATION

NCBI GI #	4506751
NCBI GeneID	6249
NCBI Accession #	NP_002947.1; NP_937883.1
NCBI GenBank Nucleotide #	NM_002956.2
Molecular Weight	156,781 Da
NCBI Official Full Name	CAP-Gly domain-containing linker protein 1 isoform a
NCBI Official Synonym Full Names	CAP-Gly domain containing linker protein 1
NCBI Official Symbol	CLIP1
NCBI Official Synonym Symbols	RSN; CLIP; CYLN1; CLIP170; CLIP-170
NCBI Protein Information	CAP-Gly domain-containing linker protein 1
UniProt Protein Name	CAP-Gly domain-containing linker protein 1
UniProt Gene Name	CLIP1
UniProt Synonym Gene Names	CYLN1; RSN; CLIP-170
UniProt Entry Name	CLIP1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/restin-clip1-antibody-immunohistochemistry-western-blot-peptide-elisa-elisa/61445>